

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSPTAVXR1614

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * * * * * * Welcome to STN International * * * * * * * * *

NEWS 1 Web Page for STN Seminar Schedule - N. America
NEWS 2 DEC 01 ChemPort single article sales feature unavailable
NEWS 3 APR 03 CAS coverage of exemplified prophetic substances enhanced
NEWS 4 APR 07 STN is raising the limits on saved answers
NEWS 5 APR 24 CA/CAplus now has more comprehensive patent assignee information
NEWS 6 APR 26 USPATFULL and USPAT2 enhanced with patent assignment/reassignment information
NEWS 7 APR 28 CAS patent authority coverage expanded
NEWS 8 APR 28 ENCOMPLIT/ENCOMPLIT2 search fields enhanced
NEWS 9 APR 28 Limits doubled for structure searching in CAS REGISTRY
NEWS 10 MAY 08 STN Express, Version 8.4, now available
NEWS 11 MAY 11 STN on the Web enhanced
NEWS 12 MAY 11 BEILSTEIN substance information now available on STN Easy
NEWS 13 MAY 14 DGENE, PCTGEN and USGENE enhanced with increased limits for exact sequence match searches and introduction of free HIT display format
NEWS 14 MAY 15 INPADOCDB and INPAFAMDB enhanced with Chinese legal status data
NEWS 15 MAY 28 CAS databases on STN enhanced with NANO super role in records back to 1992
NEWS 16 JUN 01 CAS REGISTRY Source of Registration (SR) searching enhanced on STN
NEWS 17 JUN 26 NUTRACEUT and PHARMAML no longer updated
NEWS 18 JUN 29 IMSCOPROFILE now reloaded monthly
NEWS 19 JUN 29 EPFULL adds SLART to AB, MCLM, and TI fields
NEWS EXPRESS MAY 26 09 CURRENT WINDOWS VERSION IS V8.4,
AND CURRENT DISCOVER FILE IS DATED 06 APRIL 2009.

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS LOGIN Welcome Banner and News Items

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN customer agreement. This agreement limits use to scientific research. Use for software development or design, implementation of commercial gateways, or use of CAS and STN data in the building of commercial products is prohibited and may result in loss of user privileges

and other penalties.

FILE 'HOME' ENTERED AT 13:48:12 ON 06 JUL 2009

| => file registry | COST IN U.S. DOLLARS | SINCE FILE ENTRY | TOTAL SESSION |
|---------------------|----------------------|------------------|---------------|
| FULL ESTIMATED COST | | 2.64 | 2.64 |

FILE 'REGISTRY' ENTERED AT 13:55:15 ON 06 JUL 2009
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2009 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 3 JUL 2009 HIGHEST RN 1160786-08-2
DICTIONARY FILE UPDATES: 3 JUL 2009 HIGHEST RN 1160786-08-2

New CAS Information Use Policies, enter HELP USAGETERMS for details.


TSCA INFORMATION NOW CURRENT THROUGH January 9, 2009.

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=>
Uploading C:\Documents and Settings\vrodriguezgarcia\My Documents\e-Red
Folder\10588485\L1.str



chain nodes :

10 11 12 13 14 15 16 37 38

ring nodes :

1 2 3 4 5 6 7 8 9 17 18 19 20 21 22 23 24 25 26 27 30 31 32
33 34 39 40 41 42 43 44 46 47 48 49 50 51 52 53 54 55 56 57

chain bonds :

8-10 10-11 10-13 11-12 11-15 13-14 13-16 14-37 37-38

ring bonds :

1-2 1-6 2-3 3-4 4-5 5-6 5-7 6-9 7-8 8-9 17-18 17-22 18-19 19-20 20-21
21-22 23-24 23-27 24-25 25-26 26-27 30-31 30-34 31-32 32-33 33-34 34-35 35-36 36-37 37-38
39-44 40-41 41-42 42-43 43-44 44-45 45-46 46-47 47-48 48-49 49-50 50-51 51-52 52-53
52-57 53-54 54-55 55-56 56-57

exact/norm bonds :

5-7 6-9 7-8 8-9 8-10 11-12 11-15 13-14 13-16 14-37 23-24 23-27 24-25
25-26 26-27 30-31 30-34 31-32 32-33 33-34 37-38

exact bonds :

10-11 10-13

normalized bonds :

1-2 1-6 2-3 3-4 4-5 5-6 17-18 17-22 18-19 19-20 20-21 21-22 39-40
39-44 40-41 41-42 42-43 43-44 44-45 45-46 46-47 47-48 48-49 49-50 50-51 51-52 52-53
52-57 53-54 54-55 55-56 56-57

G1:[*1], [*2], [*3]

G2:[*1], [*2], [*3], [*4], [*5], [*6]

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:CLASS
11:CLASS 12:CLASS 13:CLASS 14:CLASS 15:CLASS 16:CLASS 17:Atom 18:Atom
19:Atom 20:Atom 21:Atom 22:Atom 23:Atom 24:Atom 25:Atom 26:Atom 27:Atom
30:Atom 31:Atom 32:Atom 33:Atom 34:Atom 37:CLASS 38:CLASS 39:Atom 40:Atom
41:Atom 42:Atom 43:Atom 44:Atom 46:Atom 47:Atom 48:Atom 49:Atom 50:Atom
51:Atom 52:Atom 53:Atom 54:Atom 55:Atom 56:Atom 57:Atom

L1 STRUCTURE UPLOADED

=> d 11
L1 HAS NO ANSWERS
L1 STR

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *
Structure attributes must be viewed using STN Express query preparation.


=> s sam 11
SAMPLE SEARCH INITIATED 13:57:48 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 0 TO ITERATE

100.0% PROCESSED 0 ITERATIONS 0 ANSWERS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 0 TO 0
PROJECTED ANSWERS: 0 TO 0

L2 0 SEA SSS SAM L1

=>
Uploading C:\Documents and Settings\vrodriguezgarcia\My Documents\e-Red
Folder\10588485\L3.str



chain nodes :
10 11 12 13 14 15 16
ring nodes :
1 2 3 4 5 6 7 8 9 17 18 19 20 21 22 23 24 25 26 27 30 31 32
33 34 37 38 39 40 41 42 44 45 46 47 48 49 50 51 52 53 54 55

```

chain bonds :
8-10  10-11  10-13  11-12  11-15  13-14  13-16
ring bonds :
1-2   1-6   2-3   3-4   4-5   5-6   5-7   6-9   7-8   8-9   17-18  17-22  18-19  19-20  20-21
21-22 23-24 23-27 24-25 25-26 26-27 30-31 30-34 31-32 32-33 33-34 37-38
37-42 38-39 39-40 40-41 41-42 44-45 44-49 45-46 46-47 47-48 48-49 50-51
50-55 51-52 52-53 53-54 54-55
exact/norm bonds :
5-7   6-9   7-8   8-9   8-10  11-12  11-15  13-14  13-16  23-24  23-27  24-25  25-26
26-27 30-31 30-34 31-32 32-33 33-34
exact bonds :
10-11 10-13
normalized bonds :
1-2   1-6   2-3   3-4   4-5   5-6   17-18  17-22  18-19  19-20  20-21  21-22  37-38
37-42 38-39 39-40 40-41 41-42 44-45 44-49 45-46 46-47 47-48 48-49 50-51
50-55 51-52 52-53 53-54 54-55

```

G1: [*1], [*2], [*3]

G2: [*1], [*2], [*3], [*4], [*5], [*6]

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:CLASS
11:CLASS 12:CLASS 13:CLASS 14:CLASS 15:CLASS 16:CLASS 17:Atom 18:Atom
19:Atom 20:Atom 21:Atom 22:Atom 23:Atom 24:Atom 25:Atom 26:Atom 27:Atom
30:Atom 31:Atom 32:Atom 33:Atom 34:Atom 37:Atom 38:Atom 39:Atom 40:Atom
41:Atom 42:Atom 44:Atom 45:Atom 46:Atom 47:Atom 48:Atom 49:Atom 50:Atom
51:Atom 52:Atom 53:Atom 54:Atom 55:Atom

L3 STRUCTURE UPLOADED

=> s 13
SAMPLE SEARCH INITIATED 14:03:59 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 78 TO ITERATE


100.0% PROCESSED 78 ITERATIONS 50 ANSWERS
INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)
SEARCH TIME: 00.00.01

| | | | |
|------------------------|--------|--------------|------|
| FULL FILE PROJECTIONS: | ONLINE | **COMPLETE** | |
| | BATCH | **COMPLETE** | |
| PROJECTED ITERATIONS: | 1031 | TO | 2089 |
| PROJECTED ANSWERS: | 964 | TO | 1996 |

L4 50 SEA SSS SAM L3

=> d sca

L4 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Propanimidamide, N-[(3-[2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1,3-dioxo-3-(2,4,5-trifluorophenyl)propyl]phenyl)sulfonyl]-2-hydroxy-2-methyl-
MF C26 H21 F3 N4 O5 S




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):1

L4 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Propanimidamide, N-[(3-[2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-(2-methylphenyl)-1,3-dioxopropyl]phenyl)sulfonyl]-2-hydroxy-, (2R)-
 MF C26 H24 N4 O5 S


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):1

L4 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Butanimidamide, N-[(3-[3-(3,5-difluorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1,3-dioxopropyl]phenyl)sulfonyl]-4,4,4-trifluoro-2-oxo-
 MF C26 H17 F5 N4 O5 S




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):1


L4 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Ethanimidamide, N'-[{3-[3-(3,5-difluorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1,3-dioxopropyl]phenyl}sulfonyl]-N,N-dimethyl-, (1E)- (9CI)
 MF C26 H22 F2 N4 O4 S

Double bond geometry as shown.

PAGE 1-A



PAGE 2-A




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):1

L4 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Propanimidamide, N-[(5-[3-(3,5-difluorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1,3-dioxopropyl]-2-fluorophenyl)sulfonyl]-2-hydroxy-, (2R)-
 MF C25 H19 F3 N4 O5 S


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):1


L4 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Propanimidamide, N-[(3-[3-(6-chloro-3-pyridinyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1,3-dioxopropyl]-2-methylphenyl)sulfonyl]-2-hydroxy-2-methyl-
 MF C26 H24 Cl N5 O5 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):1


L4 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Propanimidamide, N-[(3-[2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-(3-fluoro-2-methylphenyl)-1,3-dioxopropyl]phenyl)sulfonyl]-2-hydroxy-2-methyl-
 MF C27 H25 F N4 O5 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):1


L4 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Benzenesulfonyl chloride, 5-[3-(2-chloro-5-fluorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1,3-dioxopropyl]-2-fluoro-
 MF C22 H12 Cl12 F2 N2 O4 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):1

L4 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 1,3-Propanedione, 1-(3-chloro-5-fluorophenyl)-3-(3-ethenylphenyl)-2-(5-fluoro-1,3-dihydro-2H-benzimidazol-2-ylidene)-
 MF C24 H15 Cl F2 N2 O2




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):0

=>

Uploading C:\Documents and Settings\vrodriguezgarcia\My Documents\e-Red Folder\10588485\L5.str



chain nodes :

10 11 12 13 14 15 16 59

ring nodes :

1 2 3 4 5 6 7 8 9 17 18 19 20 21 22 23 24 25 26 27 30 31 32
33 34 37 38 39 40 41 42 44 45 46 47 48 49 50 51 52 53 54 55

chain bonds :

8-10 10-11 10-13 11-12 11-15 13-14 13-16 14-59

ring bonds :

1-2 1-6 2-3 3-4 4-5 5-6 5-7 6-9 7-8 8-9 17-18 17-22 18-19 19-20 20-21
21-22 23-24 23-27 24-25 25-26 26-27 30-31 30-34 31-32 32-33 33-34 37-38
37-42 38-39 39-40 40-41 41-42 44-45 44-49 45-46 46-47 47-48 48-49 50-51
50-55 51-52 52-53 53-54 54-55

exact/norm bonds :

5-7 6-9 7-8 8-9 8-10 11-12 11-15 13-14 13-16 14-59 23-24 23-27 24-25
25-26 26-27 30-31 30-34 31-32 32-33 33-34
exact bonds :
10-11 10-13
normalized bonds :
1-2 1-6 2-3 3-4 4-5 5-6 17-18 17-22 18-19 19-20 20-21 21-22 37-38
37-42 38-39 39-40 40-41 41-42 44-45 44-49 45-46 46-47 47-48 48-49 50-51
50-55 51-52 52-53 53-54 54-55

G1:[*1], [*2], [*3]

G2:[*1], [*2], [*3], [*4], [*5], [*6]

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:CLASS
11:CLASS 12:CLASS 13:CLASS 14:CLASS 15:CLASS 16:CLASS 17:Atom 18:Atom
19:Atom 20:Atom 21:Atom 22:Atom 23:Atom 24:Atom 25:Atom 26:Atom 27:Atom
30:Atom 31:Atom 32:Atom 33:Atom 34:Atom 37:Atom 38:Atom 39:Atom 40:Atom
41:Atom 42:Atom 44:Atom 45:Atom 46:Atom 47:Atom 48:Atom 49:Atom 50:Atom
51:Atom 52:Atom 53:Atom 54:Atom 55:Atom 59:CLASS

L5 STRUCTURE UPLOADED


=> s 15
SAMPLE SEARCH INITIATED 14:08:36 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 0 TO ITERATE

100.0% PROCESSED 0 ITERATIONS 0 ANSWERS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 0 TO 0
PROJECTED ANSWERS: 0 TO 0

L6 0 SEA SSS SAM L5

=>
Uploading C:\Documents and Settings\vrodriguezgarcia\My Documents\e-Red
Folder\10588485\L7.str



chain nodes :

10 11 12 13 14 15 16 59

ring nodes :

1 2 3 4 5 6 7 8 9 17 18 19 20 21 22 23 24 25 26 27 30 31 32
33 34 37 38 39 40 41 42 44 45 46 47 48 49 50 51 52 53 54 55

chain bonds :

8-10 10-11 10-13 11-12 11-15 13-14 13-16 14-59

ring bonds :

1-2 1-6 2-3 3-4 4-5 5-6 5-7 6-9 7-8 8-9 17-18 17-22 18-19 19-20 20-21
21-22 23-24 23-27 24-25 25-26 26-27 30-31 30-34 31-32 32-33 33-34 37-38
37-42 38-39 39-40 40-41 41-42 44-45 44-49 45-46 46-47 47-48 48-49 50-51
50-55 51-52 52-53 53-54 54-55

exact/norm bonds :

5-7 6-9 7-8 8-9 8-10 11-12 11-15 13-14 13-16 14-59 23-24 23-27 24-25
25-26 26-27 30-31 30-34 31-32 32-33 33-34

exact bonds :

10-11 10-13

normalized bonds :

1-2 1-6 2-3 3-4 4-5 5-6 17-18 17-22 18-19 19-20 20-21 21-22 37-38
37-42 38-39 39-40 40-41 41-42 44-45 44-49 45-46 46-47 47-48 48-49 50-51
50-55 51-52 52-53 53-54 54-55

G1:[*1], [*2], [*3]

G2:[*1], [*2], [*3], [*4], [*5], [*6]

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:CLASS
11:CLASS 12:CLASS 13:CLASS 14:CLASS 15:CLASS 16:CLASS 17:Atom 18:Atom
19:Atom 20:Atom 21:Atom 22:Atom 23:Atom 24:Atom 25:Atom 26:Atom 27:Atom
30:Atom 31:Atom 32:Atom 33:Atom 34:Atom 37:Atom 38:Atom 39:Atom 40:Atom
41:Atom 42:Atom 44:Atom 45:Atom 46:Atom 47:Atom 48:Atom 49:Atom 50:Atom
51:Atom 52:Atom 53:Atom 54:Atom 55:Atom 59:CLASS

L7 STRUCTURE UPLOADED


=> s 17
SAMPLE SEARCH INITIATED 14:09:53 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 31 TO ITERATE

100.0% PROCESSED 31 ITERATIONS 0 ANSWERS
SEARCH TIME: 00.00.02

| | | | |
|------------------------|--------|--------------|-----|
| FULL FILE PROJECTIONS: | ONLINE | **COMPLETE** | |
| | BATCH | **COMPLETE** | |
| PROJECTED ITERATIONS: | 286 | TO | 954 |
| PROJECTED ANSWERS: | 0 | TO | 0 |

L8 0 SEA SSS SAM L7

```
=>  
=>  
Uploading C:\Documents and Settings\vrodriguezgarcia\My Documents\e-Red  
Folder\10588485\L9.str
```



```

chain nodes :
10  11  12  13  14  15  16  57  58  59  60  61  62  69  70  77  78  85  86  93  94
109 110 111 112
ring nodes :
1   2   3   4   5   6   7   8   9   17  18   19  20   21  22   23  24   25  26   27  30   31  32
33  34  36  37  38  39  40  41  43  44  45  46  47  48  49  50  51  52  53  54  63
64  65  66  67  71  72  73  74  75  79  80  81  82  83  87  88  89  90  91  95  96
97  98  99  100 102 103 104 105 106 107 113 114 115 116 117 118 119
120 121 122 123 124 125 126 127 128

```

chain bonds :

| | | | | | | | | | | | |
|---------|---------|-------|-------|-------|-------|-------|-------|-------|--------|---------|-------|
| 8-10 | 10-11 | 10-13 | 11-12 | 11-15 | 13-14 | 13-16 | 20-57 | 24-61 | 31-59 | 57-58 | 59-60 |
| 61-62 | 65-69 | 69-70 | 74-77 | 77-78 | 81-85 | 85-86 | 91-93 | 93-94 | 96-111 | 104-109 | |
| 109-110 | 111-112 | | | | | | | | | | |

ring bonds :

| | | | | | | | | | | | | | | |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------|-------|-------|-------|-------|
| 1-2 | 1-6 | 2-3 | 3-4 | 4-5 | 5-6 | 5-7 | 6-9 | 7-8 | 8-9 | 17-18 | 17-22 | 18-19 | 19-20 | 20-21 |
| 21-22 | 23-24 | 23-27 | 24-25 | 25-26 | 26-27 | 30-31 | 30-34 | 31-32 | 32-33 | 33-34 | 36-37 | | | |
| 36-41 | 37-38 | 38-39 | 39-40 | 40-41 | 43-44 | 43-48 | 44-45 | 45-46 | 46-47 | 47-48 | 49-50 | | | |
| 49-54 | 50-51 | 51-52 | 52-53 | 53-54 | 63-64 | 63-67 | 64-65 | 65-66 | 66-67 | 71-72 | 71-75 | | | |
| 72-73 | 73-74 | 74-75 | 79-80 | 79-83 | 80-81 | 81-82 | 82-83 | 87-88 | 87-91 | 88-89 | 89-90 | | | |
| 90-91 | 95-96 | 95-100 | 96-97 | 97-98 | 98-99 | 99-100 | 102-103 | 102-107 | 103-104 | | | | | |
| 104-105 | 105-106 | 106-107 | 113-114 | 113-117 | 114-115 | 115-116 | 116-117 | 118-119 | | | | | | |
| 118-122 | 119-120 | 120-121 | 121-122 | 123-124 | 123-128 | 124-125 | 125-126 | 126-127 | | | | | | |
| 127-128 | | | | | | | | | | | | | | |

exact/norm bonds :

| | | | | | | | | | | | | | | |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------|-------|--|--|
| 5-7 | 6-9 | 7-8 | 8-9 | 8-10 | 11-12 | 11-15 | 13-14 | 13-16 | 23-24 | 23-27 | 24-25 | 25-26 | | |
| 26-27 | 30-31 | 30-34 | 31-32 | 32-33 | 33-34 | 57-58 | 59-60 | 61-62 | 63-64 | 63-67 | 64-65 | | | |
| 65-66 | 66-67 | 69-70 | 71-72 | 71-75 | 72-73 | 73-74 | 74-75 | 77-78 | 79-80 | 79-83 | 80-81 | | | |
| 81-82 | 82-83 | 85-86 | 87-88 | 87-91 | 88-89 | 89-90 | 90-91 | 93-94 | 109-110 | 111-112 | | | | |
| 113-114 | 113-117 | 114-115 | 115-116 | 116-117 | 118-119 | 118-122 | 119-120 | 120-121 | | | | | | |
| 121-122 | | | | | | | | | | | | | | |

exact bonds :

| | | | | | | | | | | | | | | |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|---------|--|--|--|--|
| 10-11 | 10-13 | 20-57 | 24-61 | 31-59 | 65-69 | 74-77 | 81-85 | 91-93 | 96-111 | 104-109 | | | | |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|---------|--|--|--|--|

normalized bonds :

| | | | | | | | | | | | | | | |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------|--------|-------|-------|--|--|
| 1-2 | 1-6 | 2-3 | 3-4 | 4-5 | 5-6 | 17-18 | 17-22 | 18-19 | 19-20 | 20-21 | 21-22 | 36-37 | | |
| 36-41 | 37-38 | 38-39 | 39-40 | 40-41 | 43-44 | 43-48 | 44-45 | 45-46 | 46-47 | 47-48 | 49-50 | | | |
| 49-54 | 50-51 | 51-52 | 52-53 | 53-54 | 95-96 | 95-100 | 96-97 | 97-98 | 98-99 | 99-100 | | | | |
| 102-103 | 102-107 | 103-104 | 104-105 | 105-106 | 106-107 | 123-124 | 123-128 | 124-125 | | | | | | |
| 125-126 | 126-127 | 127-128 | | | | | | | | | | | | |

G1:[*1], [*2], [*3], [*4], [*5], [*6], [*7], [*8], [*9]

G2:[*10], [*11], [*12], [*13], [*14], [*15]

Match level :

| | | | | | | | | | | | | | | |
|-----------|-----------|-----------|----------|----------|----------|----------|-----------|----------|----------|--|--|--|--|--|
| 1:Atom | 2:Atom | 3:Atom | 4:Atom | 5:Atom | 6:Atom | 7:Atom | 8:Atom | 9:Atom | 10:CLASS | | | | | |
| 11:CLASS | 12:CLASS | 13:CLASS | 14:CLASS | 15:CLASS | 16:CLASS | 17:Atom | 18:Atom | | | | | | | |
| 19:Atom | 20:Atom | 21:Atom | 22:Atom | 23:Atom | 24:Atom | 25:Atom | 26:Atom | 27:Atom | | | | | | |
| 30:Atom | 31:Atom | 32:Atom | 33:Atom | 34:Atom | 36:Atom | 37:Atom | 38:Atom | 39:Atom | | | | | | |
| 40:Atom | 41:Atom | 43:Atom | 44:Atom | 45:Atom | 46:Atom | 47:Atom | 48:Atom | 49:Atom | | | | | | |
| 50:Atom | 51:Atom | 52:Atom | 53:Atom | 54:Atom | 57:CLASS | 58:CLASS | 59:CLASS | 60:CLASS | | | | | | |
| 61:CLASS | 62:CLASS | 63:Atom | 64:Atom | 65:Atom | 66:Atom | 67:Atom | 69:CLASS | | | | | | | |
| 70:CLASS | 71:Atom | 72:Atom | 73:Atom | 74:Atom | 75:Atom | 77:CLASS | 78:CLASS | 79:Atom | | | | | | |
| 80:Atom | 81:Atom | 82:Atom | 83:Atom | 85:CLASS | 86:CLASS | 87:Atom | 88:Atom | 89:Atom | | | | | | |
| 90:Atom | 91:Atom | 93:CLASS | 94:CLASS | 95:Atom | 96:Atom | 97:Atom | 98:Atom | 99:Atom | | | | | | |
| 100:Atom | 102:Atom | 103:Atom | 104:Atom | 105:Atom | 106:Atom | 107:Atom | 109:CLASS | | | | | | | |
| 110:CLASS | 111:CLASS | 112:CLASS | 113:Atom | 114:Atom | 115:Atom | 116:Atom | 117:Atom | | | | | | | |
| 118:Atom | 119:Atom | 120:Atom | 121:Atom | 122:Atom | 123:Atom | 124:Atom | 125:Atom | | | | | | | |
| 126:Atom | 127:Atom | 128:Atom | | | | | | | | | | | | |

L9 STRUCTURE UPLOADED

=> d 19

L9 HAS NO ANSWERS

L9 STR

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

Structure attributes must be viewed using STN Express query preparation.

=> s 19
SAMPLE SEARCH INITIATED 14:31:09 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 31 TO ITERATE


100.0% PROCESSED 31 ITERATIONS 8 ANSWERS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 286 TO 954
PROJECTED ANSWERS: 8 TO 329

L10 8 SEA SSS SAM L9

=> d sca

L10 8 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-(3-fluorophenyl)-3-[3-[hydroxy(1-methyl-1H-imidazol-2-yl)methyl]phenyl]-, hydrochloride (9CI)
MF C27 H21 F N4 O3 . x Cl H





●x HCl

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):1

L10 8 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-[3-[(1R)-1,2-dihydroxyethyl]-4-fluorophenyl]-3-(3-methylphenyl)-
MF C25 H21 F N2 O4


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):1

L10 8 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 1,3-Propanedione, 1-(3,5-difluorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[3-(1,2-dihydroxyethyl)-2-fluorophenyl]-
 MF C24 H17 F3 N2 O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):1

L10 8 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-[3-[(1S)-1,3-dihydroxybutyl]phenyl]-3-(3-fluorophenyl)-
 MF C26 H23 F N2 O4

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):1

L10 8 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 1,3-Propanedione, 1-[2-butyl-3-[(1R)-1,2-dihydroxyethyl]phenyl]-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-(3-fluorophenyl)-
 MF C28 H27 F N2 O4


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):1



L10 8 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 1,3-Propanedione, 1-[3-(2-azido-1-hydroxyethyl)phenyl]-3-(3,5-difluorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-
 MF C24 H17 F2 N5 O3



HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):1

L10 8 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 1,3-Propanedione, 1-(3-bromophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[3-[(1R)-1,2-dihydroxyethyl]-4-fluorophenyl]-
 MF C24 H18 Br F N2 O4


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):1

L10 8 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 1,3-Propanedione, 1-(3,5-difluorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[3-(1,2-dihydroxybutyl)phenyl]-
 MF C26 H22 F2 N2 O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

ALL ANSWERS HAVE BEEN SCANNED

⇒

Uploading C:\Documents and Settings\vrodriguezgarcia\My Documents\e-Red Folder\10588485\L11.str



chain nodes :

Chain nodes :

109 110 111
min. nodes

```

ring nodes :
1 2 3 4 5 6 7 8 9 17 18 19 20 21 22 23 24 25 26 27 30 31 32
33 34 36 37 38 39 40 41 43 44 45 46 47 48 49 50 51 52 53 54 63
64 65 66 67 71 72 73 74 75 79 80 81 82 83 87 88 89 90 91 95 96
97 98 99 100 102 103 104 105 106 107 113 114 115 116 117 118 119
120 121 122 123 124 125 126 127 128

```

chain bonds :

| | | | | | | | | | | | |
|---------|---------|-------|-------|-------|-------|-------|-------|-------|--------|---------|-------|
| 8-10 | 10-11 | 10-13 | 11-12 | 11-15 | 13-14 | 13-16 | 20-57 | 24-61 | 31-59 | 57-58 | 59-60 |
| 61-62 | 65-69 | 69-70 | 74-77 | 77-78 | 81-85 | 85-86 | 91-93 | 93-94 | 96-111 | 104-109 | |
| 109-110 | 111-112 | | | | | | | | | | |

ring bonds :

| | | | | | | | | | | | | | | |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------|-------|-------|-------|-------|
| 1-2 | 1-6 | 2-3 | 3-4 | 4-5 | 5-6 | 5-7 | 6-9 | 7-8 | 8-9 | 17-18 | 17-22 | 18-19 | 19-20 | 20-21 |
| 21-22 | 23-24 | 23-27 | 24-25 | 25-26 | 26-27 | 30-31 | 30-34 | 31-32 | 32-33 | 33-34 | 36-37 | | | |
| 36-41 | 37-38 | 38-39 | 39-40 | 40-41 | 43-44 | 43-48 | 44-45 | 45-46 | 46-47 | 47-48 | 49-50 | | | |
| 49-54 | 50-51 | 51-52 | 52-53 | 53-54 | 63-64 | 63-67 | 64-65 | 65-66 | 66-67 | 71-72 | 71-75 | | | |
| 72-73 | 73-74 | 74-75 | 79-80 | 79-83 | 80-81 | 81-82 | 82-83 | 87-88 | 87-91 | 88-89 | 89-90 | | | |
| 90-91 | 95-96 | 95-100 | 96-97 | 97-98 | 98-99 | 99-100 | 102-103 | 102-107 | 103-104 | | | | | |
| 104-105 | 105-106 | 106-107 | 113-114 | 113-117 | 114-115 | 115-116 | 116-117 | 118-119 | | | | | | |
| 118-122 | 119-120 | 120-121 | 121-122 | 123-124 | 123-128 | 124-125 | 125-126 | 126-127 | | | | | | |
| 127-128 | | | | | | | | | | | | | | |

exact/norm bonds :

| | | | | | | | | | | | | | | |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------|-------|--|--|
| 5-7 | 6-9 | 7-8 | 8-9 | 8-10 | 11-12 | 11-15 | 13-14 | 13-16 | 23-24 | 23-27 | 24-25 | 25-26 | | |
| 26-27 | 30-31 | 30-34 | 31-32 | 32-33 | 33-34 | 57-58 | 59-60 | 61-62 | 63-64 | 63-67 | 64-65 | | | |
| 65-66 | 66-67 | 69-70 | 71-72 | 71-75 | 72-73 | 73-74 | 74-75 | 77-78 | 79-80 | 79-83 | 80-81 | | | |
| 81-82 | 82-83 | 85-86 | 87-88 | 87-91 | 88-89 | 89-90 | 90-91 | 93-94 | 109-110 | 111-112 | | | | |
| 113-114 | 113-117 | 114-115 | 115-116 | 116-117 | 118-119 | 118-122 | 119-120 | 120-121 | 121-122 | | | | | |
| 121-122 | | | | | | | | | | | | | | |

exact bonds :

| | | | | | | | | | | | | | | |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|---------|--|--|--|--|
| 10-11 | 10-13 | 20-57 | 24-61 | 31-59 | 65-69 | 74-77 | 81-85 | 91-93 | 96-111 | 104-109 | | | | |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|---------|--|--|--|--|

normalized bonds :

| | | | | | | | | | | | | | | |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------|--|--|
| 1-2 | 1-6 | 2-3 | 3-4 | 4-5 | 5-6 | 17-18 | 17-22 | 18-19 | 19-20 | 20-21 | 21-22 | 36-37 | | |
| 36-41 | 37-38 | 38-39 | 39-40 | 40-41 | 43-44 | 43-48 | 44-45 | 45-46 | 46-47 | 47-48 | 49-50 | | | |
| 49-54 | 50-51 | 51-52 | 52-53 | 53-54 | 95-96 | 95-100 | 96-97 | 97-98 | 98-99 | 99-100 | | | | |
| 102-103 | 102-107 | 103-104 | 104-105 | 105-106 | 106-107 | 123-124 | 123-128 | 124-125 | 125-126 | 126-127 | 127-128 | | | |

G1:[*1],[*2],[*3],[*4],[*5],[*6],[*7],[*8],[*9]

G2:[*10],[*11],[*12],[*13],[*14],[*15]

Match level :

| | | | | | | | | | | | | | | |
|-----------|-----------|-----------|----------|----------|----------|----------|-----------|----------|----------|--|--|--|--|--|
| 1:Atom | 2:Atom | 3:Atom | 4:Atom | 5:Atom | 6:Atom | 7:Atom | 8:Atom | 9:Atom | 10:CLASS | | | | | |
| 11:CLASS | 12:CLASS | 13:CLASS | 14:CLASS | 15:CLASS | 16:CLASS | 17:Atom | 18:Atom | | | | | | | |
| 19:Atom | 20:Atom | 21:Atom | 22:Atom | 23:Atom | 24:Atom | 25:Atom | 26:Atom | 27:Atom | | | | | | |
| 30:Atom | 31:Atom | 32:Atom | 33:Atom | 34:Atom | 36:Atom | 37:Atom | 38:Atom | 39:Atom | | | | | | |
| 40:Atom | 41:Atom | 43:Atom | 44:Atom | 45:Atom | 46:Atom | 47:Atom | 48:Atom | 49:Atom | | | | | | |
| 50:Atom | 51:Atom | 52:Atom | 53:Atom | 54:Atom | 57:CLASS | 58:CLASS | 59:CLASS | 60:CLASS | | | | | | |
| 61:CLASS | 62:CLASS | 63:Atom | 64:Atom | 65:Atom | 66:Atom | 67:Atom | 69:CLASS | | | | | | | |
| 70:CLASS | 71:Atom | 72:Atom | 73:Atom | 74:Atom | 75:Atom | 77:CLASS | 78:CLASS | 79:Atom | | | | | | |
| 80:Atom | 81:Atom | 82:Atom | 83:Atom | 85:CLASS | 86:CLASS | 87:Atom | 88:Atom | 89:Atom | | | | | | |
| 90:Atom | 91:Atom | 93:CLASS | 94:CLASS | 95:Atom | 96:Atom | 97:Atom | 98:Atom | 99:Atom | | | | | | |
| 100:Atom | 102:Atom | 103:Atom | 104:Atom | 105:Atom | 106:Atom | 107:Atom | 109:CLASS | | | | | | | |
| 110:CLASS | 111:CLASS | 112:CLASS | 113:Atom | 114:Atom | 115:Atom | 116:Atom | 117:Atom | | | | | | | |
| 118:Atom | 119:Atom | 120:Atom | 121:Atom | 122:Atom | 123:Atom | 124:Atom | 125:Atom | | | | | | | |
| 126:Atom | 127:Atom | 128:Atom | | | | | | | | | | | | |

L11 STRUCTURE UPLOADED

=> S 111
SAMPLE SEARCH INITIATED 14:34:17 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 31 TO ITERATE


100.0% PROCESSED 31 ITERATIONS
SEARCH TIME: 00.00.01

8 ANSWERS

| | | | |
|------------------------|--------|--------------|-----|
| FULL FILE PROJECTIONS: | ONLINE | **COMPLETE** | |
| | BATCH | **COMPLETE** | |
| PROJECTED ITERATIONS: | 286 | TO | 954 |
| PROJECTED ANSWERS: | 8 | TO | 329 |

L12 8 SEA SSS SAM L11

=>
Uploading C:\Documents and Settings\vrodriguezgarcia\My Documents\e-Red
Folder\10588485\L13.str



chain nodes :

10 11 12 13 14 15 16 57 58 59 60 61 62 69 70 77 78 85 86 93 94
109 110 111 112

ring nodes :

| | | | | | | | | | | | | | | | | | | | | | | |
|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----|----|----|----|----|----|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 30 | 31 | 32 |
| 33 | 34 | 36 | 37 | 38 | 39 | 40 | 41 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 63 | | |
| 64 | 65 | 66 | 67 | 71 | 72 | 73 | 74 | 75 | 79 | 80 | 81 | 82 | 83 | 87 | 88 | 89 | 90 | 91 | 95 | 96 | | |
| 97 | 98 | 99 | 100 | 102 | 103 | 104 | 105 | 106 | 107 | 113 | 114 | 115 | 116 | 117 | 118 | 119 | | | | | | |

120 121 122

chain bonds :
 8-10 10-11 10-13 11-12 11-15 13-14 13-16 20-57 24-61 31-59 57-58 59-60

61-62 65-69 69

```

109-110 111-112
ring bonds :
1-2   1-6   2-3   3-4   4-5   5-6   5-7   6-9   7-8   8-9   17-18  17-22  18-19  19-20  20-21
 21-22  23-24  23-27  24-25  25-26  26-27  30-31  30-34  31-32  32-33  33-34  36-37
 36-41  37-38  38-39  39-40  40-41  43-44  43-48  44-45  45-46  46-47  47-48  49-50
 49-54  50-51  51-52  52-53  53-54  63-64  63-67  64-65  65-66  66-67  71-72  71-75
 72-73  73-74  74-75  79-80  79-83  80-81  81-82  82-83  87-88  87-91  88-89  89-90
 90-91  95-96  95-100 96-97  97-98  98-99  99-100 102-103 102-107 103-104
104-105 105-106 106-107 113-114 113-117 114-115 115-116 116-117 118-119
118-122 119-120 120-121 121-122 123-124 123-128 124-125 125-126 126-127
127-128

```

exact/norm bonds :

| | | | | | | | | | | | | |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------|-------|-------|-------|
| 5-7 | 6-9 | 7-8 | 8-9 | 8-10 | 10-11 | 10-13 | 11-12 | 11-15 | 13-14 | 13-16 | 23-24 | 23-27 |
| 24-25 | 25-26 | 26-27 | 30-31 | 30-34 | 31-32 | 32-33 | 33-34 | 57-58 | 59-60 | 61-62 | 63-64 | |
| 63-67 | 64-65 | 65-66 | 66-67 | 69-70 | 71-72 | 71-75 | 72-73 | 73-74 | 74-75 | 77-78 | 79-80 | |
| 79-83 | 80-81 | 81-82 | 82-83 | 85-86 | 87-88 | 87-91 | 88-89 | 89-90 | 90-91 | 93-94 | | |
| 109-110 | 111-112 | 113-114 | 113-117 | 114-115 | 115-116 | 116-117 | 118-119 | 118-122 | | | | |
| 119-120 | 120-121 | 121-122 | | | | | | | | | | |

exact bonds :

| | | | | | | | | |
|-------|-------|-------|-------|-------|-------|-------|--------|---------|
| 20-57 | 24-61 | 31-59 | 65-69 | 74-77 | 81-85 | 91-93 | 96-111 | 104-109 |
|-------|-------|-------|-------|-------|-------|-------|--------|---------|

normalized bonds :

| | | | | | | | | | | | | |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------|--------|-------|-------|
| 1-2 | 1-6 | 2-3 | 3-4 | 4-5 | 5-6 | 17-18 | 17-22 | 18-19 | 19-20 | 20-21 | 21-22 | 36-37 |
| 36-41 | 37-38 | 38-39 | 39-40 | 40-41 | 43-44 | 43-48 | 44-45 | 45-46 | 46-47 | 47-48 | 49-50 | |
| 49-54 | 50-51 | 51-52 | 52-53 | 53-54 | 95-96 | 95-100 | 96-97 | 97-98 | 98-99 | 99-100 | | |
| 102-103 | 102-107 | 103-104 | 104-105 | 105-106 | 106-107 | 123-124 | 123-128 | 124-125 | | | | |
| 125-126 | 126-127 | 127-128 | | | | | | | | | | |

G1:[*1], [*2], [*3], [*4], [*5], [*6], [*7], [*8], [*9]

G2:[*10], [*11], [*12], [*13], [*14], [*15]

Match level :

| | | | | | | | | | |
|-----------|-----------|-----------|----------|----------|----------|----------|-----------|----------|----------|
| 1:Atom | 2:Atom | 3:Atom | 4:Atom | 5:Atom | 6:Atom | 7:Atom | 8:Atom | 9:Atom | 10:CLASS |
| 11:CLASS | 12:CLASS | 13:CLASS | 14:CLASS | 15:CLASS | 16:CLASS | 17:Atom | 18:Atom | | |
| 19:Atom | 20:Atom | 21:Atom | 22:Atom | 23:Atom | 24:Atom | 25:Atom | 26:Atom | 27:Atom | |
| 30:Atom | 31:Atom | 32:Atom | 33:Atom | 34:Atom | 36:Atom | 37:Atom | 38:Atom | 39:Atom | |
| 40:Atom | 41:Atom | 43:Atom | 44:Atom | 45:Atom | 46:Atom | 47:Atom | 48:Atom | 49:Atom | |
| 50:Atom | 51:Atom | 52:Atom | 53:Atom | 54:Atom | 57:CLASS | 58:CLASS | 59:CLASS | 60:CLASS | |
| 61:CLASS | 62:CLASS | 63:Atom | 64:Atom | 65:Atom | 66:Atom | 67:Atom | 69:CLASS | | |
| 70:CLASS | 71:Atom | 72:Atom | 73:Atom | 74:Atom | 75:Atom | 77:CLASS | 78:CLASS | 79:Atom | |
| 80:Atom | 81:Atom | 82:Atom | 83:Atom | 85:CLASS | 86:CLASS | 87:Atom | 88:Atom | 89:Atom | |
| 90:Atom | 91:Atom | 93:CLASS | 94:CLASS | 95:Atom | 96:Atom | 97:Atom | 98:Atom | 99:Atom | |
| 100:Atom | 102:Atom | 103:Atom | 104:Atom | 105:Atom | 106:Atom | 107:Atom | 109:CLASS | | |
| 110:CLASS | 111:CLASS | 112:CLASS | 113:Atom | 114:Atom | 115:Atom | 116:Atom | 117:Atom | | |
| 118:Atom | 119:Atom | 120:Atom | 121:Atom | 122:Atom | 123:Atom | 124:Atom | 125:Atom | | |
| 126:Atom | 127:Atom | 128:Atom | | | | | | | |

L13 STRUCTURE UPLOADED


=> s 113
 SAMPLE SEARCH INITIATED 14:40:09 FILE 'REGISTRY'
 SAMPLE SCREEN SEARCH COMPLETED - 31 TO ITERATE

100.0% PROCESSED 31 ITERATIONS 8 ANSWERS
 SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
 BATCH **COMPLETE**
 PROJECTED ITERATIONS: 286 TO 954
 PROJECTED ANSWERS: 8 TO 329

L14 8 SEA SSS SAM L13

=>
 Uploading C:\Documents and Settings\vrodriguezgarcia\My Documents\e-Red
 Folder\10588485\L15.str



chain nodes :

10 11 12 13 14 15 16 57 58 59 60 61 62 69 70 77 78 85 86 93 94
109 110 111 112

ring nodes :

1 2 3 4 5 6 7 8 9 17 18 19 20 21 22 23 24 25 26 27 30 31 32
33 34 36 37 38 39 40 41 43 44 45 46 47 48 49 50 51 52 53 54 63
64 65 66 67 71 72 73 74 75 79 80 81 82 83 87 88 89 90 91 95 96
97 98 99 100 102 103 104 105 106 107 113 114 115 116 117 118 119
120 121 122 123 124 125 126 127 128

chain bonds :

8-10 10-11 10-13 11-12 11-15 13-14 13-16 20-57 24-61 31-59 57-58 59-60
61-62 65-69 69-70 74-77 77-78 81-85 85-86 91-93 93-94 96-111 104-109

109-110 111-112

ring bonds :

1-2 1-6 2-3 3-4 4-5 5-6 5-7 6-9 7-8 8-9 17-18 17-22 18-19 19-20 20-21
21-22 23-24 23-27 24-25 25-26 26-27 30-31 30-34 31-32 31-33 32-33 33-34 36-37
36-41 37-38 38-39 39-40 40-41 43-44 43-48 44-45 45-46 46-47 47-48 49-50
49-54 50-51 51-52 52-53 53-54 63-64 63-67 64-65 65-66 66-67 71-72 71-75
72-73 73-74 74-75 79-80 79-83 80-81 81-82 82-83 87-88 87-91 88-89 89-90
90-91 95-96 95-100 96-97 97-98 98-99 99-100 102-103 102-107 103-104
104-105 105-106 106-107 113-114 113-117 114-115 115-116 116-117 118-119
118-122 119-120 120-121 121-122 123-124 123-128 124-125 125-126 126-127
127-128

exact/norm bonds :

5-7 6-9 7-8 8-9 8-10 10-11 10-13 11-12 11-15 13-14 13-16 20-57 23-24
23-27 24-25 24-61 25-26 26-27 30-31 30-34 31-32 31-59 32-33 33-34 57-58
59-60 61-62 63-64 63-67 64-65 65-66 65-69 66-67 69-70 71-72 71-75 72-73
73-74 74-75 74-77 77-78 79-80 79-83 80-81 81-82 81-85 82-83 85-86 87-88
87-91 88-89 89-90 90-91 91-93 93-94 96-111 104-109 109-110 111-112
113-114 113-117 114-115 115-116 116-117 118-119 118-122 119-120 120-121
121-122

normalized bonds :

1-2 1-6 2-3 3-4 4-5 5-6 17-18 17-22 18-19 19-20 20-21 21-22 36-37
36-41 37-38 38-39 39-40 40-41 43-44 43-48 44-45 45-46 46-47 47-48 49-50
49-54 50-51 51-52 52-53 53-54 95-96 95-100 96-97 97-98 98-99 99-100
102-103 102-107 103-104 104-105 105-106 106-107 123-124 123-128 124-125
125-126 126-127 127-128

G1:[*1], [*2], [*3], [*4], [*5], [*6], [*7], [*8], [*9]

G2:[*10], [*11], [*12], [*13], [*14], [*15]

G3:O, S

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:CLASS
11:CLASS 12:CLASS 13:CLASS 14:CLASS 15:CLASS 16:CLASS 17:Atom 18:Atom
19:Atom 20:Atom 21:Atom 22:Atom 23:Atom 24:Atom 25:Atom 26:Atom 27:Atom
30:Atom 31:Atom 32:Atom 33:Atom 34:Atom 36:Atom 37:Atom 38:Atom 39:Atom
40:Atom 41:Atom 43:Atom 44:Atom 45:Atom 46:Atom 47:Atom 48:Atom 49:Atom
50:Atom 51:Atom 52:Atom 53:Atom 54:Atom 57:CLASS 58:CLASS 59:CLASS 60:CLASS
61:CLASS 62:CLASS 63:Atom 64:Atom 65:Atom 66:Atom 67:Atom 69:CLASS
70:CLASS 71:Atom 72:Atom 73:Atom 74:Atom 75:Atom 77:CLASS 78:CLASS 79:Atom
80:Atom 81:Atom 82:Atom 83:Atom 85:CLASS 86:CLASS 87:Atom 88:Atom 89:Atom
90:Atom 91:Atom 93:CLASS 94:CLASS 95:Atom 96:Atom 97:Atom 98:Atom 99:Atom
100:Atom 102:Atom 103:Atom 104:Atom 105:Atom 106:Atom 107:Atom 109:CLASS
110:CLASS 111:CLASS 112:CLASS 113:Atom 114:Atom 115:Atom 116:Atom 117:Atom
118:Atom 119:Atom 120:Atom 121:Atom 122:Atom 123:Atom 124:Atom 125:Atom
126:Atom 127:Atom 128:Atom

L15 STRUCTURE UPLOADED

=> s 115
SAMPLE SEARCH INITIATED 14:42:44 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 31 TO ITERATE

100.0% PROCESSED 31 ITERATIONS 8 ANSWERS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 286 TO 954
PROJECTED ANSWERS: 8 TO 329

L16 8 SEA SSS SAM L15


=> s 115 sss full
THE ESTIMATED SEARCH COST FOR FILE 'REGISTRY' IS 185.40 U.S. DOLLARS
DO YOU WANT TO CONTINUE WITH THIS REQUEST? (Y)/N or END:y
FULL SEARCH INITIATED 14:43:07 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 547 TO ITERATE

100.0% PROCESSED 547 ITERATIONS 160 ANSWERS
SEARCH TIME: 00.00.01

L17 160 SEA SSS FUL L15

=> d sca


L17 160 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-(3-fluorophenyl)-3-[3-(hydroxy-2-pyridinylmethyl)phenyl]-
MF C28 H20 F N3 O3
CI COM



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):1


L17 160 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-(3-fluorophenyl)-3-[3-(1-hydroxy-3-oxobutyl)phenyl]-
MF C26 H21 F N2 O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):1

L17 160 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 1,3-Propanedione, 1-[3-(2-amino-1-hydroxyethyl)phenyl]-3-(3,5-difluorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-
MF C24 H19 F2 N3 O3




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):1

L17 160 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-(3-fluorophenyl)-3-[3-[(1R)-1,2,3-trihydroxybutyl]phenyl]-
 MF C26 H23 F N2 O5


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):1

L17 160 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Benzene propanamide, 3-[3-(3,5-difluorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1,3-dioxopropyl]- α , β -dihydroxy-N,N-dimethyl-
 MF C27 H23 F2 N3 O5




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):1

L17 160 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 1,3-Propanedione, 1-[3-[(1R)-2-chloro-1-hydroxyethyl]phenyl]-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-(3-fluorophenyl)-
 MF C24 H18 Cl F N2 O3

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):0

| => file zcaplus | | SINCE FILE | TOTAL |
|----------------------|--|------------|---------|
| COST IN U.S. DOLLARS | | ENTRY | SESSION |
| FULL ESTIMATED COST | | 224.76 | 227.40 |

FILE 'ZCAPLUS' ENTERED AT 14:44:22 ON 06 JUL 2009
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2009 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is

held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS is strictly prohibited.

FILE COVERS 1907 - 6 Jul 2009 VOL 151 ISS 2
FILE LAST UPDATED: 5 Jul 2009 (20090705/ED)
REVISED CLASS FIELDS (/NCL) LAST RELOADED: Apr 2009
USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: Apr 2009

ZCAplus now includes complete International Patent Classification (IPC) reclassification data for the second quarter of 2009.

CAS Information Use Policies apply and are available at:

<http://www.cas.org/legal/infopolicy.html>

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s 117
L18 3 L17

| => file registry | SINCE FILE | TOTAL |
|----------------------|------------|---------|
| COST IN U.S. DOLLARS | ENTRY | SESSION |
| FULL ESTIMATED COST | 0.07 | 227.47 |

FILE 'REGISTRY' ENTERED AT 14:44:51 ON 06 JUL 2009
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2009 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 5 JUL 2009 HIGHEST RN 1160791-26-3
DICTIONARY FILE UPDATES: 5 JUL 2009 HIGHEST RN 1160791-26-3

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2009.

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:


<http://www.cas.org/support/stngen/stndoc/properties.html>

=> s 117 not caplus/lc
67160240 CAPLUS/LC
L19 4 L17 NOT CAPLUS/LC

=> d sca

L19 4 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 1,3-Propanedione, 2-[1,3-dihydro-5-(3-pyridinylmethoxy)-2H-benzimidazol-2-ylidene]-1-[3-[(1R)-1,2-dihydroxyethyl]-2-fluorophenyl]-3-(3-methoxyphenyl)-
MF C31 H26 F N3 O6
CI COM


Absolute stereochemistry.
Double bond geometry unknown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):1

L19 4 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-(3-fluorophenyl)-3-[3-[hydroxy(1-methyl-1H-imidazol-2-yl)methyl]phenyl]-
MF C27 H21 F N4 O3
CI COM




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):1

L19 4 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN

IN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-(3-fluorophenyl)-3-[3-(hydroxy-2-pyridinylmethyl)phenyl]-
MF C28 H20 F N3 O3
CI COM




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):1

L19 4 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Glycine, N,N-dimethyl-, 2-[3-[2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-(3-fluorophenyl)-1,3-dioxopropyl]phenyl]-2-hydroxyethyl ester
MF C28 H26 F N3 O5
CI COM



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

ALL ANSWERS HAVE BEEN SCANNED

=> analyze 119 1-4 lc

FIELD CODE OR DATA NOT PRESENT IN ANSWERS SPECIFIED.

The answers processed either do not include the specified field or do not contain any data that may be selected from the specified field.

```
=> analyze 119 1-4
ENTER DISPLAY CODE (CHEM) OR ?:lc
FIELD CODE OR DATA NOT PRESENT IN ANSWERS SPECIFIED.
The answers processed either do not include the specified field or do
not contain any data that may be selected from the specified field.
```

```
=> analyze 119
ENTER ANSWER NUMBER OR RANGE (1-):1-4
ENTER DISPLAY CODE (CHEM) OR ?:chem
L20      ANALYZE L19 1-4 CHEM :      4 TERMS
```

```
=> d
L20      ANALYZE L19 1-4 CHEM :      4 TERMS
```

| TERM # | # OCC | # DOC | % DOC | CHEM |
|--------|-------|-------|-------|-------------|
| 1 | 1 | 1 | 25.00 | 871221-89-5 |
| 2 | 1 | 1 | 25.00 | 871300-52-6 |
| 3 | 1 | 1 | 25.00 | 871300-53-7 |
| 4 | 1 | 1 | 25.00 | 871300-54-8 |

```
***** END OF L20***
```

```
=> analyze 119 1-4 ?
Enter one or more codes from the following list.
AF ----- Alternate Molecular Formula
AR ----- Alternate Registry Number
CCI ----- Component Substance Class Identifier
CHEM ----- CAS Registry Numbers and Selected Names
CI ----- Substance Class Identifier
CMF ----- Component Molecular Formulas
CN ----- Chemical Names (Up to 50)
CRN ----- Component Registry Numbers
DEF ----- Definition
DR ----- Deleted Registry Number
EA ----- Elemental Analysis for Ring System
ES ----- Elemental Sequence for Ring System
FCN ----- All Chemical Names
FS ----- File Segment
IN ----- CA Index Name
LC ----- CAS Registry Number Locator
MF ----- Molecular Formula
NAME ----- Selected Substance Names
PCT ----- Polymer Class Term
PR ----- Preferred Registry Number
PN ----- Patent Number
RF ----- Ring System Formula
RID ----- Ring Identifier
RL----- CAplus Super roles
RLD ----- CAplus Super roles for non-specific Derivatives
RL.NP --- Roles from Non-patents
RL.P --- Roles from Patents
RLD.NP -- Roles for non-specific derivatives from Non-patents
RLD.P --- Roles for non-specific derivatives from Patents
RLS ----- All CAplus Super roles
RLS.NP -- CAplus Super roles - Non-patents
RLS.P --- CAplus Super roles - Patents
RN ----- CAS Registry Number
RR ----- Replacing Registry Number
SCN ----- Short Chemical Name (IN and OTHER NAMES)
SEQ ----- Protein Sequence Display using 1 Letter Amino Acid Codes (default)
SEQ3 ---- Protein Sequence Display using 3 Letter Amino Acid Codes
```

SQEFP --- Protein Sequence (exact family search form)
SQEN ---- Nucleic Acid Sequence (exact search form)
SQEP ---- Protein Sequence (exact search form)
SQSFP --- Protein Sequence (subsequence family search form)
SQSN ---- Nucleic Acid Sequence (subsequence search form)
SQSP --- Protein Sequence (subsequence search form)
SR ----- Source of Registration
SZ ----- Size for Ring System
TAGS ---- Experimental Tags (same as ETAG)
ENTER DISPLAY CODE (CHEM) OR ?:LC
FIELD CODE OR DATA NOT PRESENT IN ANSWERS SPECIFIED.
The answers processed either do not include the specified field or do not contain any data that may be selected from the specified field.

=> analyze 119 1-4 pd
'PD' IS NOT A VALID FIELD CODE FOR FILE 'REGISTRY'
The following are valid field codes:
AF ----- Alternate Molecular Formula
AR ----- Alternate Registry Number
CCI ----- Component Substance Class Identifier
CHEM ---- CAS Registry Numbers and Selected Names
CI ----- Substance Class Identifier
CMF ----- Component Molecular Formulas
CN ----- Chemical Names (Up to 50)
CRN ----- Component Registry Numbers
DEF ----- Definition
DR ----- Deleted Registry Number
EA ----- Elemental Analysis for Ring System
ES ----- Elemental Sequence for Ring System
FCN ----- All Chemical Names
FS ----- File Segment
IN ----- CA Index Name
LC ----- CAS Registry Number Locator
MF ----- Molecular Formula
NAME ---- Selected Substance Names
PCT ----- Polymer Class Term
PR ----- Preferred Registry Number
PN ----- Patent Number
RF ----- Ring System Formula
RID ----- Ring Identifier
RL----- CAplus Super roles
RLD ----- CAplus Super roles for non-specific Derivatives
RL.NP --- Roles from Non-patents
RL.P --- Roles from Patents
RLD.NP -- Roles for non-specific derivatives from Non-patents
RLD.P --- Roles for non-specific derivatives from Patents
RLS ----- All CAplus Super roles
RLS.NP -- CAplus Super roles - Non-patents
RLS.P --- CAplus Super roles - Patents
RN ----- CAS Registry Number
RR ----- Replacing Registry Number
SCN ----- Short Chemical Name (IN and OTHER NAMES)
SEQ ----- Protein Sequence Display using 1 Letter Amino Acid Codes (default)
SEQ3 ---- Protein Sequence Display using 3 Letter Amino Acid Codes
SQEFP --- Protein Sequence (exact family search form)
SQEN ---- Nucleic Acid Sequence (exact search form)
SQEP ---- Protein Sequence (exact search form)
SQSFP --- Protein Sequence (subsequence family search form)
SQSN ---- Nucleic Acid Sequence (subsequence search form)
SQSP --- Protein Sequence (subsequence search form)
SR ----- Source of Registration
SZ ----- Size for Ring System

TAGS ----- Experimental Tags (same as ETAG)

ENTER DISPLAY CODE (CHEM) OR ?:LC

FIELD CODE OR DATA NOT PRESENT IN ANSWERS SPECIFIED.

The answers processed either do not include the specified field or do not contain any data that may be selected from the specified field.

=> file zcaplus
COST IN U.S. DOLLARS

| SINCE FILE ENTRY | TOTAL SESSION |
|------------------|---------------|
| 26.19 | 253.66 |

FILE 'ZCAPLUS' ENTERED AT 14:52:41 ON 06 JUL 2009
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2009 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS is strictly prohibited.

FILE COVERS 1907 - 6 Jul 2009 VOL 151 ISS 2
FILE LAST UPDATED: 5 Jul 2009 (20090705/ED)
REVISED CLASS FIELDS (/NCL) LAST RELOADED: Apr 2009
USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: Apr 2009

ZCAplus now includes complete International Patent Classification (IPC) reclassification data for the second quarter of 2009.

CAS Information Use Policies apply and are available at: www.cas.org/casinfo

<http://www.cas.org/legal/infopolicy.html>

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> d 118

L18 ANSWER 1 OF 3 ZCAPLUS COPYRIGHT 2009 ACS on STN
 AN 2006:1065682 ZCAPLUS
 DN 145:419141
 TI Preparation of dihydrobenzimidazole moiety-containing propane-1,3-dione derivatives as GnRH receptor antagonists
 IN Hirano, Masaaki; Kinoyama, Isao; Matsumoto, Shunichiro; Kawaminami, Eiji; Ohnuki, Kei; Yamamoto, Hirofumi; Osoda, Kazuhiko; Takahashi, Tatsuhisa; Shin, Takashi; Koike, Takanori; Shimada, Itsuro; Hisamichi, Hiroyuki; Kusayama, Toshiyuki
 PA Astellas Pharma Inc., Japan
 SO PCT Int. Appl., 118pp.
 CODEN: PIXXD2
 DT Patent
 LA Japanese
 FAN.CNT 1

| | PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|----|---------------|------|----------|------------------|----------|
| PI | WO 2006106812 | A1 | 20061012 | WO 2006-JP306641 | 20060330 |

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH,
 CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD,
 GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR,
 KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX,
 MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE,
 SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC,
 VN, YU, ZA, ZM, ZW
 RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE,
 IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ,
 CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH,
 GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY,
 KG, KZ, MD, RU, TJ, TM
 AU 2006232469 A1 20061012 AU 2006-232469 20060330
 CA 2603185 A1 20061012 CA 2006-2603185 20060330
 EP 1864976 A1 20071212 EP 2006-730589 20060330
 R: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE,
 IS, IT, LI, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR
 CN 101142193 A 20080312 CN 2006-80008358 20070914
 MX 2007011997 A 20071207 MX 2007-11997 20070927
 IN 2007CN04340 A 20080125 IN 2007-CN4340 20071001
 KR 2007119716 A 20071220 KR 2007-725090 20071030
 PRAI JP 2005-101437 A 20050331
 JP 2005-353577 A 20051207
 WO 2006-JP306641 W 20060330
 OS MARPAT 145:419141
 RE.CNT 7 THERE ARE 7 CITED REFERENCES AVAILABLE FOR THIS RECORD
 ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> d 118 ibib hitstr 2-3
 THE ESTIMATED COST FOR THIS REQUEST IS 7.78 U.S. DOLLARS
 DO YOU WANT TO CONTINUE WITH THIS REQUEST? (Y)/N:y

 L18 ANSWER 2 OF 3 ZCAPLUS COPYRIGHT 2009 ACS on STN
 ACCESSION NUMBER: 2005:1314083 ZCAPLUS
 DOCUMENT NUMBER: 144:51576
 TITLE: Preparation of benzimidazole derivatives as GnRH
 receptor antagonists
 INVENTOR(S): Hirano, Masaaki; Kawaminami, Eiji; Kinoyama, Isao;
 Matsumoto, Shunichiro; Ohnuki, Kei; Obitsu, Kazuyoshi;
 Kusayama, Toshiyuki
 PATENT ASSIGNEE(S): Astellas Pharma Inc., Japan
 SOURCE: PCT Int. Appl., 76 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|---|---|----------|-----------------|----------|
| WO 2005118556 | A1 | 20051215 | WO 2005-JP10184 | 20050602 |
| W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH,
CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD,
GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ,
LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA,
NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK,
SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU,
ZA, ZM, ZW | RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM,
AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK,
EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, | | | |

RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML,
 MR, NE, SN, TD, TG
 AU 2005250273 A1 20051215 AU 2005-250273 20050602
 CA 2568590 A1 20051215 CA 2005-2568590 20050602
 EP 1752452 A1 20070214 EP 2005-745730 20050602
 EP 1752452 A9 20071212
 R: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE,
 IS, IT, LI, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR
 CN 1964950 A 20070516 CN 2005-80018280 20050602
 BR 2005011796 A 20080115 BR 2005-11796 20050602
 ZA 2006010129 A 20080130 ZA 2006-10129 20050602
 RU 2347781 C2 20090227 RU 2006-142689 20050602
 US 20090018177 A1 20090115 US 2006-588485 20060804
 IN 2006KN03481 A 20070615 IN 2006-KN3481 20061122
 KR 2007023715 A 20070228 KR 2006-725345 20061201
 KR 882366 B1 20090205
 MX 2006014131 A 20070307 MX 2006-14131 20061204
 NO 2007000074 A 20070302 NO 2007-74 20070104
 PRIORITY APPLN. INFO.: JP 2004-166486 A 20040604
 JP 2005-99815 A 20050330
 WO 2005-JP10184 W 20050602


OTHER SOURCE(S): MARPAT 144:51576

IT 871220-08-5P

RL: PAC (Pharmacological activity); PEP (Physical, engineering or chemical process); PYP (Physical process); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); PROC (Process); USES (Uses)
 (preparation of benzimidazole derivs. as GnRH receptor antagonists for treatment of prostate cancer, breast cancer, etc.)

RN 871220-08-5 ZCPLUS

CN 1,3-Propanedione, 1-(3,5-difluorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[3-(1,2-dihydroxyethyl)phenyl]- (CA INDEX NAME)





IT 871222-65-0P 871224-54-3P

RL: PAC (Pharmacological activity); PUR (Purification or recovery); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
 (preparation of benzimidazole derivs. as GnRH receptor antagonists for treatment of prostate cancer, breast cancer, etc.)

RN 871222-65-0 ZCPLUS

CN 1,3-Propanedione, 1-(3,5-difluorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[3-[(1S)-1,2-dihydroxyethyl]phenyl]- (CA INDEX NAME)



Absolute stereochemistry. Rotation (+).



RN 871224-54-3 ZCPLUS

CN 1,3-Propanedione, 1-(3,5-difluorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[3-[(1R)-1,2-dihydroxyethyl]phenyl]- (CA INDEX NAME)

Absolute stereochemistry.




IT 871220-17-6P 871222-57-0P 871222-64-9P

871222-66-1P


RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)

(preparation of benzimidazole derivs. as GnRH receptor antagonists for treatment of prostate cancer, breast cancer, etc.)


RN 871220-17-6 ZCPLUS
CN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-[3-(1,2-dihydroxyethyl)phenyl]-3-(3-fluorophenyl)- (CA INDEX NAME)




RN 871222-57-0 ZCPLUS
CN 1,3-Propanedione, 1-(3,5-difluorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[3-(hydroxymethyl)phenyl]- (CA INDEX NAME)



RN 871222-64-9 ZCPLUS
CN 1,3-Propanedione, 1-[3-[(acetyloxy)methyl]phenyl]-3-(3,5-difluorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)- (CA INDEX NAME)



RN 871222-66-1 ZCPLUS
CN 1,3-Propanedione, 1-[3-(2-amino-1-hydroxyethyl)phenyl]-3-(3,5-difluorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)- (CA INDEX NAME)




IT 871220-09-6P 871220-10-9P 871220-11-0P
871220-13-2P 871220-15-4P 871220-19-8P
871220-21-2P 871220-23-4P 871220-25-6P
871220-27-8P 871220-29-0P 871220-31-4P
871220-33-6P 871220-35-8P 871220-37-0P
871220-39-2P 871220-41-6P 871220-43-8P
871220-45-0P 871220-47-2P 871220-49-4P
871220-51-8P 871220-53-0P 871220-55-2P
871220-57-4P 871220-59-6P 871220-61-0P
871220-63-2P 871220-65-4P 871220-67-6P
871220-69-8P 871220-71-2P 871220-73-4P
871220-75-6P 871220-77-8P 871220-79-0P
871220-81-4P 871220-83-6P 871220-85-8P
871220-87-0P 871220-89-2P 871220-91-6P
871220-93-8P 871220-95-0P 871220-97-2P
871220-99-4P 871221-01-1P 871221-03-3P
871221-05-5P 871221-07-7P 871221-09-9P
871221-11-3P 871221-13-5P 871221-15-7P
871221-17-9P 871221-19-1P 871221-21-5P
871221-23-7P 871221-25-9P 871221-27-1P
871221-29-3P 871221-31-7P 871221-33-9P
871221-35-1P 871221-37-3P 871221-39-5P
871221-41-9P 871221-43-1P 871221-45-3P
871221-47-5P 871221-49-7P 871221-51-1P
871221-53-3P 871221-55-5P 871221-59-9P
871221-69-1P 871221-71-5P 871221-73-7P
871221-75-9P 871221-77-1P 871221-79-3P
871221-81-7P 871221-83-9P 871221-85-1P
871221-87-3P 871221-90-8P 871221-92-0P
871221-94-2P 871221-96-4P 871221-98-6P
871222-00-3P 871222-02-5P 871222-04-7P
871222-06-9P 871222-08-1P 871222-10-5P
871222-12-7P 871222-14-9P 871222-16-1P
871222-18-3P 871222-20-7P 871222-21-8P
871222-22-9P 871222-23-0P 871222-24-1P
871222-26-3P 871222-28-5P 871222-30-9P
871222-32-1P 871222-34-3P 871222-36-5P
871222-38-7P 871222-40-1P 871222-41-2P
871222-42-3P 871222-43-4P 871222-44-5P
871222-45-6P 871222-46-7P 871222-47-8P
871222-48-9P 871222-49-0P 871222-50-3P
871222-51-4P 871222-52-5P 871222-53-6P
871222-54-7P 871222-55-8P 871222-56-9P
871222-58-1P 871222-59-2P 871222-60-5P
871222-62-7P 871222-63-8P 871222-67-2P
871222-68-3P 871222-69-4P 871222-70-7P
871222-71-8P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of benzimidazole derivs. as GnRH receptor antagonists for treatment of prostate cancer, breast cancer, etc.)


RN 871220-09-6 ZCPLUS

CN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-[3-(1,2-dihydroxyethyl)phenyl]-3-[3-fluoro-5-(trifluoromethyl)phenyl]- (CA INDEX NAME)




RN 871220-10-9 ZCPLUS

CN 1,3-Propanedione, 1-(3-chloro-5-fluorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[3-(1,2-dihydroxyethyl)phenyl]- (CA INDEX NAME)




RN 871220-11-0 ZCPLUS


CN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-[3-(1,2-dihydroxyethyl)phenyl]-3-(3,4,5-trifluorophenyl)- (CA INDEX NAME)




RN 871220-13-2 ZCPLUS
CN 1,3-Propanedione, 1-(3,5-difluorophenyl)-3-[3-(1,2-dihydroxyethyl)phenyl]-2-(5-fluoro-1,3-dihydro-2H-benzimidazol-2-ylidene)- (CA INDEX NAME)




RN 871220-15-4 ZCPLUS
CN 1,3-Propanedione, 2-(5,6-difluoro-1,3-dihydro-2H-benzimidazol-2-ylidene)-1-(3,5-difluorophenyl)-3-[3-(1,2-dihydroxyethyl)phenyl]- (CA INDEX NAME)



RN 871220-19-8 ZCPLUS
CN 1,3-Propanedione, 1-(3,5-dichlorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[3-(1,2-dihydroxyethyl)phenyl]- (CA INDEX NAME)




RN 871220-21-2 ZCPLUS
CN 1,3-Propanedione, 1-(3,4-difluorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[3-(1,2-dihydroxyethyl)phenyl]- (CA INDEX NAME)




RN 871220-23-4 ZCPLUS

CN 1,3-Propanedione, 1-(2,6-dichloro-4-pyridinyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[3-(1,2-dihydroxyethyl)phenyl]- (CA INDEX NAME)




RN 871220-25-6 ZCPLUS

CN 1,3-Propanedione, 1-(2,6-difluorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[3-(1,2-dihydroxyethyl)phenyl]- (CA INDEX NAME)




RN 871220-27-8 ZCPLUS

CN 1,3-Propanedione, 2-(5-chloro-6-fluoro-1,3-dihydro-2H-benzimidazol-2-ylidene)-1-(3,5-difluorophenyl)-3-[3-(1,2-dihydroxyethyl)phenyl]- (CA INDEX NAME)




RN 871220-29-0 ZCPLUS

CN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-[3-(1,2-dihydroxyethyl)phenyl]-3-(4-fluorophenyl)- (CA INDEX NAME)




RN 871220-31-4 ZCPLUS

CN 1,3-Propanedione, 1-(3-chloro-5-fluorophenyl)-3-[3-(1,2-dihydroxyethyl)phenyl]-2-(5-fluoro-1,3-dihydro-2H-benzimidazol-2-ylidene)- (CA INDEX NAME)




RN 871220-33-6 ZCPLUS


CN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-[3-(1,2-dihydroxyethyl)phenyl]-3-(3-methoxyphenyl)- (CA INDEX NAME)




RN 871220-35-8 ZCPLUS
 CN 1,3-Propanedione, 1-(3-chloro-4-fluorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[3-(1,2-dihydroxyethyl)phenyl]- (CA INDEX NAME)



RN 871220-37-0 ZCPLUS
 CN Benzonitrile, 4-[2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[3-(1,2-dihydroxyethyl)phenyl]-1,3-dioxopropyl]- (CA INDEX NAME)




RN 871220-39-2 ZCPLUS
 CN 1,3-Propanedione, 1-(3-bromo-5-fluorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[3-(1,2-dihydroxyethyl)phenyl]- (CA INDEX NAME)




RN 871220-41-6 ZCPLUS

CN 1,3-Propanedione, 1-(3,5-difluorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[5-(1,2-dihydroxyethyl)-2-fluorophenyl]- (CA INDEX NAME)




RN 871220-43-8 ZCPLUS

CN 1,3-Propanedione, 1-(2-chlorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[3-(1,2-dihydroxyethyl)phenyl]- (CA INDEX NAME)




RN 871220-45-0 ZCPLUS

CN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-[3-(1,2-dihydroxyethyl)phenyl]-3-(3-thienyl)- (CA INDEX NAME)




RN 871220-47-2 ZCPLUS

CN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-[3-(1,2-dihydroxyethyl)phenyl]-3-(3,5-dimethylphenyl)- (CA INDEX NAME)




RN 871220-49-4 ZCPLUS

CN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-[3-(1,2-dihydroxyethyl)phenyl]-3-(2,3-dimethylphenyl)- (CA INDEX NAME)




RN 871220-51-8 ZCPLUS

CN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-[3-(1,2-dihydroxyethyl)phenyl]-3-(3-fluoro-4-pyridinyl)- (CA INDEX NAME)




RN 871220-53-0 ZCPLUS

CN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-[3-(1,2-dihydroxyethyl)phenyl]-3-(2-thienyl)- (CA INDEX NAME)




RN 871220-55-2 ZCPLUS

CN 1,3-Propanedione, 2-(5-chloro-1,3-dihydro-2H-benzimidazol-2-ylidene)-1-[3-(1,2-dihydroxyethyl)phenyl]-3-(3,5-difluorophenyl)- (CA INDEX NAME)




RN 871220-57-4 ZCPLUS

CN 1,3-Propanedione, 2-(5-chloro-6-fluoro-1,3-dihydro-2H-benzimidazol-2-ylidene)-1-(3-chloro-5-fluorophenyl)-3-[3-(1,2-dihydroxyethyl)phenyl]- (CA INDEX NAME)




RN 871220-59-6 ZCPLUS

CN Benzoic acid, 3-[2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[3-(1,2-dihydroxyethyl)phenyl]-1,3-dioxopropyl]-, methyl ester (CA INDEX NAME)




RN 871220-61-0 ZCPLUS

CN 1,3-Propanedione, 1-(5-chloro-2-methylphenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[3-(1,2-dihydroxyethyl)phenyl]- (CA INDEX NAME)




RN 871220-63-2 ZCPLUS

CN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-[3-(1,2-dihydroxyethyl)phenyl]-3-(3-fluoro-4-methylphenyl)- (CA INDEX NAME)




RN 871220-65-4 ZCPLUS

CN 1,3-Propanedione, 1-(3-chloro-5-fluorophenyl)-2-(5,6-difluoro-1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[3-(1,2-dihydroxyethyl)phenyl]- (CA INDEX NAME)




RN 871220-67-6 ZCPLUS

CN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-[3-(1,2-dihydroxyethyl)phenyl]-3-[6-(trifluoromethyl)-3-pyridinyl]- (CA INDEX NAME)




RN 871220-69-8 ZCPLUS

CN Benzenesulfonamide, 3-[2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[3-(1,2-dihydroxyethyl)phenyl]-1,3-dioxopropyl]-N,N-dimethyl- (CA INDEX NAME)




RN 871220-71-2 ZCPLUS

CN 1,3-Propanedione, 1-(3,5-difluorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[3-(1,2-dihydroxyethyl)-2-fluorophenyl]- (CA INDEX NAME)




RN 871220-73-4 ZCPLUS

CN 1,3-Propanedione, 1-(3,5-difluorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[3-(1,2-dihydroxyethyl)-4-fluorophenyl]- (CA INDEX NAME)




RN 871220-75-6 ZCPLUS

CN 1,3-Propanedione, 1-(3,5-difluorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[3-(1,2-dihydroxyethyl)-5-fluorophenyl]- (CA INDEX NAME)




RN 871220-77-8 ZCPLUS

CN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-[3-(1,2-dihydroxyethyl)phenyl]-3-(5-fluoro-2-methoxyphenyl)- (CA INDEX NAME)




RN 871220-79-0 ZCPLUS

CN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-[3-(1,2-dihydroxyethyl)phenyl]-3-(3-fluoro-2-methylphenyl)- (CA INDEX NAME)




RN 871220-81-4 ZCPLUS

CN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-[3-(1,2-dihydroxyethyl)phenyl]-3-(3-methylphenyl)- (CA INDEX NAME)




RN 871220-83-6 ZCPLUS

CN 1,3-Propanedione, 1-(4-chloro-3-fluorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[3-(1,2-dihydroxyethyl)phenyl]- (CA INDEX NAME)




RN 871220-85-8 ZCPLUS

CN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-[3-(1,2-dihydroxyethyl)phenyl]-3-[4-fluoro-3-(trifluoromethyl)phenyl]- (CA INDEX NAME)




RN 871220-87-0 ZCPLUS

CN Benzonitrile, 3-[2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[3-(1,2-dihydroxyethyl)phenyl]-1,3-dioxopropyl]- (CA INDEX NAME)




RN 871220-89-2 ZCPLUS

CN 1,3-Propanedione, 1-(3-bromo-4-fluorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[3-(1,2-dihydroxyethyl)phenyl]- (CA INDEX NAME)




RN 871220-91-6 ZCPLUS

CN 1,3-Propanedione, 1-(3,4-dichlorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[3-(1,2-dihydroxyethyl)phenyl]- (CA INDEX NAME)




RN 871220-93-8 ZCPLUS


CN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-[3-(1,2-dihydroxyethyl)phenyl]-3-(2,3,5-trifluorophenyl)- (CA INDEX NAME)




RN 871220-95-0 ZCPLUS
 CN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-[3-(1,2-dihydroxyethyl)phenyl]-3-phenyl- (CA INDEX NAME)



RN 871220-97-2 ZCPLUS
 CN 1,3-Propanedione, 1-(3-chlorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[3-(1,2-dihydroxyethyl)phenyl]- (CA INDEX NAME)




RN 871220-99-4 ZCPLUS
 CN 1,3-Propanedione, 1-(4-chlorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[3-(1,2-dihydroxyethyl)phenyl]- (CA INDEX NAME)




RN 871221-01-1 ZCPLUS

CN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-[3-(1,2-dihydroxyethyl)phenyl]-3-(2-methylphenyl)- (CA INDEX NAME)




RN 871221-03-3 ZCPLUS

CN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-[3-(1,2-dihydroxyethyl)phenyl]-3-(4-methylphenyl)- (CA INDEX NAME)




RN 871221-05-5 ZCPLUS

CN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-[3-(1,2-dihydroxyethyl)-2-fluorophenyl]-3-(3-fluorophenyl)- (CA INDEX NAME)




RN 871221-07-7 ZCPLUS

CN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-[3-(1,2-dihydroxyethyl)-4-fluorophenyl]-3-(3-fluorophenyl)- (CA INDEX NAME)




RN 871221-09-9 ZCPLUS

CN 1,3-Propanedione, 1-(2-chloro-5-fluorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[3-(1,2-dihydroxyethyl)phenyl]- (CA INDEX NAME)




RN 871221-11-3 ZCPLUS

CN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-[3-(1,2-dihydroxyethyl)phenyl]-3-(2-fluorophenyl)- (CA INDEX NAME)




RN 871221-13-5 ZCPLUS

CN 1,3-Propanedione, 1-(2,3-difluorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[3-(1,2-dihydroxyethyl)phenyl]- (CA INDEX NAME)




RN 871221-15-7 ZCPLUS

CN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-[3-(1,2-dihydroxyethyl)-2,4-difluorophenyl]-3-(3-fluorophenyl)- (CA INDEX NAME)




RN 871221-17-9 ZCPLUS

CN 1,3-Propanedione, 1-(3,5-difluorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[3-[hydroxy(1-hydroxycyclopropyl)methyl]phenyl]- (CA INDEX NAME)




RN 871221-19-1 ZCPLUS

CN Benzenepropanoic acid, 3-[3-(3,5-difluorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1,3-dioxopropyl]-α,β-dihydroxy-, ethyl ester (CA INDEX NAME)




RN 871221-21-5 ZCPLUS

CN 1,3-Propanedione, 1-(3,5-difluorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[3-(1,2,3-trihydroxypropyl)phenyl]- (CA INDEX NAME)




RN 871221-23-7 ZCPLUS

CN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-(3-fluorophenyl)-3-[3-[hydroxy(1-hydroxycyclopropyl)methyl]phenyl]- (CA INDEX NAME)




RN 871221-25-9 ZCPLUS

CN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-[3-(1,2-dihydroxy-2-methylpropyl)phenyl]-3-(3-fluorophenyl)- (CA INDEX NAME)




RN 871221-27-1 ZCPLUS

CN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-[3-(1,2-dihydroxypropyl)phenyl]-3-(3-fluorophenyl)- (CA INDEX NAME)




RN 871221-29-3 ZCPLUS

CN Benzenepropanenitrile, 3-[2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-(3-fluorophenyl)-1,3-dioxopropyl]-alpha,beta-dihydroxy- (CA INDEX NAME)




RN 871221-31-7 ZCPLUS

CN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-[3-(1,2-dihydroxy-2-phenylethyl)phenyl]-3-(3-fluorophenyl)- (CA INDEX NAME)




RN 871221-33-9 ZCPLUS

CN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-[3-(1,2-dihydroxy-3-methylbutyl)phenyl]-3-(3-fluorophenyl)- (CA INDEX NAME)




RN 871221-35-1 ZCPLUS

CN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-[3-(1,2-dihydroxy-3-methoxypropyl)phenyl]-3-(3-fluorophenyl)- (CA INDEX NAME)




RN 871221-37-3 ZCPLUS

CN 1,3-Propanedione, 1-(3,5-difluorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[3-(1,2-dihydroxybutyl)phenyl]- (CA INDEX NAME)




RN 871221-39-5 ZCPLUS

CN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-[3-[3-(dimethylamino)-1,2-dihydroxypropyl]phenyl]-3-(3-fluorophenyl)- (CA INDEX NAME)




RN 871221-41-9 ZCPLUS

CN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-[3-(1,2-dihydroxyhexyl)phenyl]-3-(3-fluorophenyl)- (CA INDEX NAME)




RN 871221-43-1 ZCPLUS

CN 1,3-Propanedione, 1-[3-(2-cyclohexyl-1,2-dihydroxyethyl)phenyl]-3-(3,5-difluorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)- (CA INDEX NAME)




RN 871221-45-3 ZCPLUS

CN 1,3-Propanedione, 1-[3-(2-cyclopropyl-1,2-dihydroxyethyl)phenyl]-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-(3-fluorophenyl)- (CA INDEX NAME)




RN 871221-47-5 ZCPLUS

CN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-[3-(1,2-dihydroxypropyl)-2-fluorophenyl]-3-(3-fluorophenyl)- (CA INDEX NAME)




RN 871221-49-7 ZCPLUS

CN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-(3-fluorophenyl)-3-[3-(3,3,3-trifluoro-1,2-dihydroxypropyl)phenyl]- (CA INDEX NAME)




RN 871221-51-1 ZCPLUS

CN 1,3-Propanedione, 1-(3,5-difluorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[4-(1,2-dihydroxyethyl)phenyl]- (CA INDEX NAME)




RN 871221-53-3 ZCPLUS

CN 1,3-Propanedione, 1-(3,5-difluorophenyl)-3-[4-(1,2-dihydroxyethyl)phenyl]-2-(5-fluoro-1,3-dihydro-2H-benzimidazol-2-ylidene)- (CA INDEX NAME)




RN 871221-55-5 ZCPLUS

CN 1,3-Propanedione, 1-(3,5-difluorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[2-(1,2-dihydroxyethyl)phenyl]- (CA INDEX NAME)



RN 871221-59-9 ZCPLUS


CN 1,3-Propanedione, 1-(3,5-difluorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[3-(1,2-dihydroxy-1-methylethyl)phenyl]- (CA INDEX NAME)



RN 871221-69-1 ZCPLUS

CN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-[3-[(1R)-1,2-dihydroxyethyl]phenyl]-3-(3-fluorophenyl)- (CA INDEX NAME)


Absolute stereochemistry.



RN 871221-71-5 ZCPLUS

CN 1,3-Propanedione, 1-(3,5-difluorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[3-[(1S)-1,3-dihydroxypropyl]phenyl]- (CA INDEX NAME)



Absolute stereochemistry.



RN 871221-73-7 ZCPLUS

CN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-[3-[(1R)-1,2-dihydroxyethyl]-4-fluorophenyl]-3-(3-fluorophenyl)- (CA INDEX NAME)


Absolute stereochemistry.



RN 871221-75-9 ZCPLUS

CN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-[3-[(1R)-1,2-dihydroxyethyl]-2-fluorophenyl]-3-(3-fluorophenyl)- (CA INDEX NAME)


Absolute stereochemistry.



RN 871221-77-1 ZCPLUS

CN 1,3-Propanedione, 1-(3,5-difluorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[3-[(1R)-1,2-dihydroxyethyl]-2-methylphenyl]- (CA INDEX NAME)


Absolute stereochemistry.



RN 871221-79-3 ZCPLUS

CN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-[3-[(1R)-1,2-dihydroxyethyl]-2-fluorophenyl]-3-phenyl- (CA INDEX NAME)


Absolute stereochemistry.



RN 871221-81-7 ZCPLUS

CN 1,3-Propanedione, 1-[2-butyl-3-[(1R)-1,2-dihydroxyethyl]phenyl]-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-(3-fluorophenyl)- (CA INDEX NAME)


Absolute stereochemistry.



RN 871221-83-9 ZCPLUS

CN 1,3-Propanedione, 1-(3-chlorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[3-[(1R)-1,2-dihydroxyethyl]-2-fluorophenyl]- (CA INDEX NAME)

Absolute stereochemistry.




RN 871221-85-1 ZCPLUS

CN 1,3-Propanedione, 1-[3-[(1R)-1,2-dihydroxyethyl]-2-fluorophenyl]-2-(5-fluoro-1,3-dihydro-2H-benzimidazol-2-ylidene)-3-(3-fluorophenyl)- (CA INDEX NAME)

Absolute stereochemistry.


Double bond geometry unknown.



RN 871221-87-3 ZCPLUS

CN Benzonitrile, 3-[2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[3-[(1R)-1,2-dihydroxyethyl]-2-fluorophenyl]-1,3-dioxopropyl]- (CA INDEX NAME)

Absolute stereochemistry.




RN 871221-90-8 ZCPLUS

CN 1,3-Propanedione, 2-[1,3-dihydro-5-(3-pyridinylmethoxy)-2H-benzimidazol-2-ylidene]-1-[3-[(1R)-1,2-dihydroxyethyl]-2-fluorophenyl]-3-(3-methoxyphenyl)-, ethanedioate (salt) (9CI) (CA INDEX NAME)


CRN 871221-89-5
CMF C31 H26 F N3 O6

Absolute stereochemistry.
Double bond geometry unknown.




CM 2

CRN 144-62-7
CMF C2 H2 O4




RN 871221-92-0 ZCPLUS
CN 1,3-Propanedione, 1-(2-chlorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[3-[(1R)-1,2-dihydroxyethyl]-2-methylphenyl]- (CA INDEX NAME)

Absolute stereochemistry.



RN 871221-94-2 ZCPLUS
CN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-[3-[(1R)-1,2-dihydroxyethyl]-2-fluorophenyl]-3-(3-methylphenyl)- (CA INDEX NAME)


Absolute stereochemistry.



RN 871221-96-4 ZCPLUS

CN 1,3-Propanedione, 1-[2-chloro-3-[(1R)-1,2-dihydroxyethyl]phenyl]-3-(3-chlorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)- (CA INDEX NAME)


Absolute stereochemistry.



RN 871221-98-6 ZCPLUS

CN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-[3-[(1R)-1,2-dihydroxyethyl]-2-fluorophenyl]-3-(2-methylphenyl)- (CA INDEX NAME)


Absolute stereochemistry.



RN 871222-00-3 ZCPLUS

CN 1,3-Propanedione, 1-(2-chlorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[3-[(1R)-1,2-dihydroxyethyl]-4-fluorophenyl]- (CA INDEX NAME)



Absolute stereochemistry.



RN 871222-02-5 ZCPLUS

CN 1,3-Propanedione, 1-(3-chlorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[3-[(1R)-1,2-dihydroxyethyl]-4-fluorophenyl]- (CA INDEX NAME)


Absolute stereochemistry.



RN 871222-04-7 ZCPLUS


CN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-[3-[(1R)-1,2-dihydroxyethyl]-2-methoxyphenyl]-3-(3-fluorophenyl)- (CA INDEX NAME)

Absolute stereochemistry.




RN 871222-06-9 ZCPLUS
CN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-[3-[(1R)-1,2-dihydroxyethyl]-2-methylphenyl]-3-(3-fluorophenyl)- (CA INDEX NAME)

Absolute stereochemistry.




RN 871222-08-1 ZCPLUS
CN 1,3-Propanedione, 1-[2-chloro-3-[(1R)-1,2-dihydroxyethyl]phenyl]-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-(3-fluorophenyl)- (CA INDEX NAME)

Absolute stereochemistry.




RN 871222-10-5 ZCPLUS
CN 1,3-Propanedione, 1-(3,5-difluorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[3-[(1R)-1,2-dihydroxyethyl]-4-fluorophenyl]- (CA INDEX NAME)

Absolute stereochemistry.




RN 871222-12-7 ZCPLUS
CN 1,3-Propanedione, 1-(3-chlorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[3-[(1R)-1,2-dihydroxyethyl]-2-methylphenyl]- (CA INDEX NAME)

Absolute stereochemistry.




RN 871222-14-9 ZCPLUS
CN 1,3-Propanedione, 1-(2-chlorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[3-[(1R)-1,2-dihydroxyethyl]-2-fluorophenyl]- (CA INDEX NAME)

Absolute stereochemistry.



RN 871222-16-1 ZCPLUS
CN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-[3-[(1R)-1,2-dihydroxyethyl]-2-methylphenyl]-3-(3-methylphenyl)- (CA INDEX NAME)


Absolute stereochemistry.



RN 871222-18-3 ZCPLUS

CN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-[3-[(1R)-1,2-dihydroxyethyl]-2-fluorophenyl]-3-(3-methoxyphenyl)- (CA INDEX NAME)


Absolute stereochemistry.



RN 871222-20-7 ZCPLUS

CN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-[3-[(1R)-1,2-dihydroxyethyl]-2-methylphenyl]-3-phenyl- (CA INDEX NAME)


Absolute stereochemistry.



RN 871222-21-8 ZCPLUS

CN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-[3-[(1R)-1,2-dihydroxyethyl]-2-fluorophenyl]-3-(2-fluorophenyl)- (CA INDEX NAME)


Absolute stereochemistry.



RN 871222-22-9 ZCPLUS

CN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-[3-[(1R)-1,2-dihydroxyethyl]-2-methylphenyl]-3-(2-fluorophenyl)- (CA INDEX NAME)


Absolute stereochemistry.



RN 871222-23-0 ZCPLUS

CN 1,3-Propanedione, 1-[2-chloro-3-[(1R)-1,2-dihydroxyethyl]phenyl]-3-(3,5-difluorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)- (CA INDEX NAME)


Absolute stereochemistry.



RN 871222-24-1 ZCPLUS

CN 1,3-Propanedione, 1-(4-chlorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[3-[(1R)-1,2-dihydroxyethyl]-4-fluorophenyl]- (CA INDEX NAME)


Absolute stereochemistry.



RN 871222-26-3 ZCPLUS

CN 1,3-Propanedione, 1-[2-chloro-3-[(1R)-1,2-dihydroxyethyl]phenyl]-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-(3-methylphenyl)- (CA INDEX NAME)


Absolute stereochemistry.



RN 871222-28-5 ZCPLUS

CN 1,3-Propanedione, 1-(3,5-difluorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[3-[(1R)-1,2-dihydroxyethyl]2-fluorophenyl]- (CA INDEX NAME)


Absolute stereochemistry.



RN 871222-30-9 ZCPLUS

CN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-[3-[(1R)-1,2-dihydroxyethyl]2-fluorophenyl]-3-(3-pyridinyl)- (CA INDEX NAME)


Absolute stereochemistry.



RN 871222-32-1 ZCPLUS

CN 1,3-Propanedione, 1-[2-chloro-3-[(1R)-1,2-dihydroxyethyl]phenyl]-3-(4-chlorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)- (CA INDEX NAME)


Absolute stereochemistry.



RN 871222-34-3 ZCPLUS

CN 1,3-Propanedione, 1-[2-chloro-3-[(1R)-1,2-dihydroxyethyl]phenyl]-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-phenyl- (CA INDEX NAME)


Absolute stereochemistry.



RN 871222-36-5 ZCPLUS

CN 1,3-Propanedione, 1-[2-chloro-3-[(1R)-1,2-dihydroxyethyl]phenyl]-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-(2-fluorophenyl)- (CA INDEX NAME)


Absolute stereochemistry.



RN 871222-38-7 ZCPLUS

CN Benzonitrile, 3-[3-[2-chloro-3-[(1R)-1,2-dihydroxyethyl]phenyl]-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1,3-dioxopropyl]- (CA INDEX NAME)



Absolute stereochemistry.



RN 871222-40-1 ZCPLUS

CN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-[3-[(1R)-1,2-dihydroxyethyl]-4-fluorophenyl]-3-(3-methylphenyl)- (CA INDEX NAME)



Absolute stereochemistry.




RN 871222-41-2 ZCPLUS

CN 1,3-Propanedione, 1-(3-bromophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[3-[(1R)-1,2-dihydroxyethyl]-4-fluorophenyl]- (CA INDEX NAME)

Absolute stereochemistry.




RN 871222-42-3 ZCPLUS
 CN 1,3-Propanedione, 1-(3,5-difluorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[3-[1-hydroxy-2-(methylsulfonyl)ethyl]phenyl]- (CA INDEX NAME)



RN 871222-43-4 ZCPLUS
 CN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-[3-[(1S)-1,3-dihydroxybutyl]phenyl]-3-(3-fluorophenyl)- (CA INDEX NAME)


Absolute stereochemistry.



RN 871222-44-5 ZCPLUS

CN 1,3-Propanedione, 1-[3-[(1R)-2-chloro-1-hydroxyethyl]phenyl]-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-(3-fluorophenyl)- (CA INDEX NAME)


Absolute stereochemistry.



RN 871222-45-6 ZCPLUS

CN 1,3-Propanedione, 1-(3,5-difluorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[3-[(1S)-1-hydroxyethyl]phenyl]- (CA INDEX NAME)


Absolute stereochemistry.



RN 871222-46-7 ZCPLUS

CN 1,3-Propanedione, 1-[3-[(1R)-2-(acetyloxy)-1-hydroxyethyl]phenyl]-3-(3,5-difluorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)- (CA INDEX NAME)



Absolute stereochemistry.



RN 871222-47-8 ZCPLUS

CN 1,3-Propanedione, 1-(3,5-difluorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[3-[(1R)-2-(dimethylamino)-1-hydroxyethyl]phenyl]- (CA INDEX NAME)


Absolute stereochemistry.



RN 871222-48-9 ZCPLUS

CN 1,3-Propanedione, 1-(3,5-difluorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[3-[(1R)-1-hydroxy-2-(methylthio)ethyl]phenyl]- (CA INDEX NAME)


Absolute stereochemistry.



RN 871222-49-0 ZCPLUS


CN 1,3-Propanedione, 1-[3-[(1R)-2-(acetyloxy)-1,3-dihydroxybutyl]phenyl]-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-(3-fluorophenyl)- (CA INDEX NAME)

Absolute stereochemistry.




RN 871222-50-3 ZCPLUS

CN Propanoic acid, 2-methyl-, 2-[3-[2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-(3-fluorophenyl)-1,3-dioxopropyl]phenyl]-2-hydroxyethyl ester (CA INDEX NAME)




RN 871222-51-4 ZCPLUS

CN Benzene propanamide, 3-[3-(3,5-difluorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1,3-dioxopropyl]-α,β-dihydroxy-N,N-dimethyl- (CA INDEX NAME)




RN 871222-52-5 ZCPLUS

CN 1,3-Propanedione, 1-[3-[1,2-bis(acetyloxy)ethyl]phenyl]-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-(3-fluorophenyl)- (CA INDEX NAME)




RN 871222-53-6 ZCPLUS

CN Propanoic acid, 2-methyl-, 1-[3-[2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-(3-fluorophenyl)-1,3-dioxopropyl]phenyl]-1,2-ethanediyl ester (9CI) (CA INDEX NAME)




RN 871222-54-7 ZCPLUS

CN 1,3-Propanedione, 1-[3-[2-(acetyloxy)-1-hydroxyethyl]phenyl]-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-(3-fluorophenyl)- (CA INDEX NAME)



RN 871222-55-8 ZCPLUS


CN Glycine, N,N-dimethyl-, 2-[3-[2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-(3-fluorophenyl)-1,3-dioxopropyl]phenyl]-2-hydroxyethyl ester, hydrochloride (9CI) (CA INDEX NAME)



● x HCl

RN 871222-56-9 ZCPLUS


CN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-(3-fluorophenyl)-3-[3-(hydroxymethyl)phenyl]- (CA INDEX NAME)



RN 871222-58-1 ZCPLUS

CN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-(3-fluorophenyl)-3-[3-[(1R)-1,2,3-trihydroxybutyl]phenyl]- (CA INDEX NAME)


Absolute stereochemistry.



RN 871222-59-2 ZCPLUS

CN 1,3-Propanedione, 1-(3,5-difluorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[5-[(1S)-1,2-dihydroxyethyl]-2-thienyl]- (CA INDEX NAME)

Absolute stereochemistry.





RN 871222-60-5 ZCPLUS

CN Benzene propanoic acid, 3-[3-(3,5-difluorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1,3-dioxopropyl]- α , β -dihydroxy-, (β R)- (CA INDEX NAME)

Absolute stereochemistry.


PAGE 1-A





RN 871222-62-7 ZCPLUS


CN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-(3-fluorophenyl)-3-[3-(hydroxy-2-pyridinylmethyl)phenyl]-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl

RN 871222-63-8 ZCPLUS

CN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-(3-fluorophenyl)-3-[3-[hydroxy(1-methyl-1H-imidazol-2-yl)methyl]phenyl]-, hydrochloride (9CI) (CA INDEX NAME)




● x HCl

RN 871222-67-2 ZCPLUS

CN 1,3-Propanedione, 1-(3,5-difluorophenyl)-2-(1,3-dihydro-5-hydroxy-2H-


benzimidazol-2-ylidene)-3-[3-[(1R)-1,2-dihydroxyethyl]-2-fluorophenyl]- (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.




RN 871222-68-3 ZCPLUS

CN Acetamide, N-[2-[3-[3,5-difluorophenyl]-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1,3-dioxopropyl]phenyl]-2-hydroxyethyl]- (CA INDEX NAME)




RN 871222-69-4 ZCPLUS

CN Carbonic acid, 2-[3-[2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-(3-fluorophenyl)-1,3-dioxopropyl]phenyl]-2-hydroxyethyl ethyl ester (CA INDEX NAME)




RN 871222-70-7 ZCPLUS


CN 1,3-Propanedione, 1-[3-[1-(acetyloxy)-2-hydroxyethyl]phenyl]-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-(3-fluorophenyl)- (CA INDEX NAME)




RN 871222-71-8 ZCPLUS
 CN Glycine, N,N-dimethyl-, 2-(acetyloxy)-2-[3-[2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-(3-fluorophenyl)-1,3-dioxopropyl]phenyl]ethyl ester (CA INDEX NAME)



IT 871224-52-1 871224-53-2 871224-55-4
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (preparation of benzimidazole derivs. as GnRH receptor antagonists for treatment of prostate cancer, breast cancer, etc.)
 RN 871224-52-1 ZCPLUS
 CN 1,3-Propanedione, 1-(3,5-difluorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[3-[1-hydroxy-2-(methylthio)ethyl]phenyl]- (CA INDEX NAME)




RN 871224-53-2 ZCPLUS
 CN 1,3-Propanedione, 1-[3-[2-(acetyloxy)-1,3-dihydroxybutyl]phenyl]-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-(3-fluorophenyl)- (CA INDEX NAME)



RN 871224-55-4 ZCPLUS

CN 1,3-Propanedione, 1-[3-(2-azido-1-hydroxyethyl)phenyl]-3-(3,5-difluorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)- (CA INDEX NAME)




IT 871223-25-5P 871224-02-1P 871224-09-8P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation of benzimidazole derivs. as GnRH receptor antagonists for treatment of prostate cancer, breast cancer, etc.)


RN 871223-25-5 ZCPLUS

CN Benzoic acid, 3-[2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-(3-ethenylphenyl)-1,3-dioxopropyl]-, methyl ester (CA INDEX NAME)




RN 871224-02-1 ZCPLUS

CN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-(3-fluorophenyl)-3-[3-(1-hydroxy-3-oxobutyl)phenyl]- (CA INDEX NAME)



RN 871224-09-8 ZCPLUS

CN 1,3-Propanedione, 1-[3-[(acetyloxy)methyl]phenyl]-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-(3-fluorophenyl)- (CA INDEX NAME)



REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L18 ANSWER 3 OF 3 ZCPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 2002:31423 ZCPLUS

DOCUMENT NUMBER: 136:102388

TITLE: Preparation of 2-(benzoazolidinylene)propane-1,3-dione derivatives as GnRH receptor antagonists

INVENTOR(S): Hirano, Masaaki; Kawaminami, Eiji; Toyoshima, Akira; Moritomo, Hiroyuki; Seki, Norio; Wakayama, Ryutaro; Okada, Minoru; Kusayama, Toshiyuki

PATENT ASSIGNEE(S): Yamanouchi Pharmaceutical Co., Ltd., Japan

SOURCE: PCT Int. Appl., 70 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|---|------|----------|-----------------|----------|
| WO 2002002533 | A1 | 20020110 | WO 2001-JP5813 | 20010704 |
| W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW | | | | |
| RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG | | | | |

| | | | | |
|--|----|----------|-----------------|-------------|
| CA 2415010 | A1 | 20020110 | CA 2001-2415010 | 20010704 |
| AU 2001071022 | A | 20020114 | AU 2001-71022 | 20010704 |
| EP 1300398 | A1 | 20030409 | EP 2001-949914 | 20010704 |
| EP 1300398 | B1 | 20060405 | | |
| R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
IE, SI, LT, LV, FI, RO, MK, CY, AL, TR | | | | |
| CN 1186326 | C | 20050126 | CN 2001-812318 | 20010704 |
| AT 322485 | T | 20060415 | AT 2001-949914 | 20010704 |
| AU 2001271022 | B2 | 20060817 | AU 2001-271022 | 20010704 |
| ES 2261437 | T3 | 20061116 | ES 2001-949914 | 20010704 |
| JP 4211394 | B2 | 20090121 | JP 2002-507790 | 20010704 |
| US 20030191164 | A1 | 20031009 | US 2002-311688 | 20021219 |
| US 6960591 | B2 | 20051101 | | |
| KR 748294 | B1 | 20070809 | KR 2003-700111 | 20030104 |
| US 20050267110 | A1 | 20051201 | US 2005-155595 | 20050620 |
| PRIORITY APPLN. INFO.: | | | | |
| | | | JP 2000-204425 | A 20000705 |
| | | | JP 2001-153372 | A 20010523 |
| | | | WO 2001-JP5813 | W 20010704 |
| | | | US 2002-311688 | A3 20021219 |


OTHER SOURCE(S): MARPAT 136:102388

IT 388594-80-7P 388595-01-5P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of (benzoazolidinylene)propanedione derivs. as GnRH receptor antagonists for treating sex hormone-dependent diseases)


RN 388594-80-7 ZCPLUS

CN Benzoic acid, 3,3'-(2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1,3-dioxo-1,3-propanediyl)bis-, dimethyl ester (9CI) (CA INDEX NAME)



RN 388595-01-5 ZCPLUS

CN Benzoic acid, 3-[2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1,3-dioxo-3-phenylpropyl]-, methyl ester (CA INDEX NAME)



REFERENCE COUNT:

12

THERE ARE 12 CITED REFERENCES AVAILABLE FOR THIS

RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=>

| => file registry | | SINCE FILE | TOTAL |
|----------------------|--|------------|---------|
| COST IN U.S. DOLLARS | | ENTRY | SESSION |
| FULL ESTIMATED COST | | 10.29 | 263.95 |

FILE 'REGISTRY' ENTERED AT 15:03:29 ON 06 JUL 2009
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2009 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 5 JUL 2009 HIGHEST RN 1160791-26-3
DICTIONARY FILE UPDATES: 5 JUL 2009 HIGHEST RN 1160791-26-3

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2009.


Please note that search-term pricing does apply when
conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and
predicted properties as well as tags indicating availability of
experimental property data in the original document. For information
on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=>

Uploading C:\Documents and Settings\vrodriguezgarcia\My Documents\e-Red
Folder\10588485\L19.str



chain nodes :

10 11 12 13 14 15 16 57 58 59 60 61 62 69 70 77 78 85 86 93 94
109 110 111 112

ring nodes :

1 2 3 4 5 6 7 8 9 17 18 19 20 21 22 23 24 25 26 27 30 31 32
33 34 36 37 38 39 40 41 43 44 45 46 47 48 49 50 51 52 53 54 63
64 65 66 67 71 72 73 74 75 79 80 81 82 83 87 88 89 90 91 95 96
97 98 99 100 102 103 104 105 106 107 113 114 115 116 117 118 119
120 121 122 123 124 125 126 127 128

chain bonds :

8-10 10-11 10-13 11-12 11-15 13-14 13-16 20-57 24-61 31-59 57-58 59-60
61-62 65-69 69-70 74-77 77-78 81-85 85-86 91-93 93-94 96-111 104-109

109-110 111-112

ring bonds :

1-2 1-6 2-3 3-4 4-5 5-6 5-7 6-9 7-8 8-9 17-18 17-22 18-19 19-20 20-21
21-22 23-24 23-27 24-25 25-26 26-27 30-31 30-34 31-32 31-59 32-33 33-34 36-37
36-41 37-38 38-39 39-40 40-41 43-44 43-48 44-45 45-46 46-47 47-48 49-50
49-54 50-51 51-52 52-53 53-54 63-64 63-67 64-65 65-66 66-67 71-72 71-75
72-73 73-74 74-75 79-80 79-83 80-81 81-82 82-83 87-88 87-91 88-89 89-90
90-91 95-96 95-100 96-97 97-98 98-99 99-100 102-103 102-107 103-104
104-105 105-106 106-107 113-114 113-117 114-115 115-116 116-117 118-119
118-122 119-120 120-121 121-122 123-124 123-128 124-125 125-126 126-127
127-128

exact/norm bonds :

5-7 6-9 7-8 8-9 8-10 10-11 10-13 11-12 11-15 13-14 13-16 20-57 23-24
23-27 24-25 24-61 25-26 26-27 30-31 30-34 31-32 31-59 32-33 33-34 57-58
59-60 61-62 63-64 63-67 64-65 65-66 65-69 66-67 69-70 71-72 71-75 72-73
73-74 74-75 74-77 77-78 79-80 79-83 80-81 81-82 81-85 82-83 85-86 87-88
87-91 88-89 89-90 90-91 91-93 93-94 96-111 104-109 109-110 111-112
113-114 113-117 114-115 115-116 116-117 118-119 118-122 119-120 120-121
121-122

normalized bonds :

1-2 1-6 2-3 3-4 4-5 5-6 17-18 17-22 18-19 19-20 20-21 21-22 36-37
36-41 37-38 38-39 39-40 40-41 43-44 43-48 44-45 45-46 46-47 47-48 49-50
49-54 50-51 51-52 52-53 53-54 95-96 95-100 96-97 97-98 98-99 99-100
102-103 102-107 103-104 104-105 105-106 106-107 123-124 123-128 124-125
125-126 126-127 127-128

G1:[*1], [*2], [*3], [*4], [*5], [*6], [*7], [*8], [*9]

G2:[*10], [*11], [*12], [*13], [*14], [*15]

G3:O, S

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:CLASS
11:CLASS 12:CLASS 13:CLASS 14:CLASS 15:CLASS 16:CLASS 17:Atom 18:Atom
19:Atom 20:Atom 21:Atom 22:Atom 23:Atom 24:Atom 25:Atom 26:Atom 27:Atom
30:Atom 31:Atom 32:Atom 33:Atom 34:Atom 36:Atom 37:Atom 38:Atom 39:Atom
40:Atom 41:Atom 43:Atom 44:Atom 45:Atom 46:Atom 47:Atom 48:Atom 49:Atom
50:Atom 51:Atom 52:Atom 53:Atom 54:Atom 57:CLASS 58:CLASS 59:CLASS 60:CLASS
61:CLASS 62:CLASS 63:Atom 64:Atom 65:Atom 66:Atom 67:Atom 69:CLASS
70:CLASS 71:Atom 72:Atom 73:Atom 74:Atom 75:Atom 77:CLASS 78:CLASS 79:Atom
80:Atom 81:Atom 82:Atom 83:Atom 85:CLASS 86:CLASS 87:Atom 88:Atom 89:Atom
90:Atom 91:Atom 93:CLASS 94:CLASS 95:Atom 96:Atom 97:Atom 98:Atom 99:Atom
100:Atom 102:Atom 103:Atom 104:Atom 105:Atom 106:Atom 107:Atom 109:CLASS
110:CLASS 111:CLASS 112:CLASS 113:Atom 114:Atom 115:Atom 116:Atom 117:Atom
118:Atom 119:Atom 120:Atom 121:Atom 122:Atom 123:Atom 124:Atom 125:Atom
126:Atom 127:Atom 128:Atom

L21 STRUCTURE UPLOADED

=> s 121
SAMPLE SEARCH INITIATED 15:04:15 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 78 TO ITERATE


100.0% PROCESSED 78 ITERATIONS 8 ANSWERS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 1031 TO 2089
PROJECTED ANSWERS: 8 TO 329

L22 8 SEA SSS SAM L21

=> d sca

L22 8 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-(3-
fluorophenyl)-3-[3-[hydroxy(1-methyl-1H-imidazol-2-yl)methyl]phenyl]-,
hydrochloride (9CI)
MF C27 H21 F N4 O3 . x Cl H





● x HCl

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):1

L22 8 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-[3-[(1R)-1,2-dihydroxyethyl]-4-fluorophenyl]-3-(3-methylphenyl)-
 MF C25 H21 F N2 O4


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):1

L22 8 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 1,3-Propanedione, 1-(3,5-difluorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[3-(1,2-dihydroxyethyl)-2-fluorophenyl]-
 MF C24 H17 F3 N2 O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):1

L22 8 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 1,3-Propanedione, 2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-1-[3-[(1S)-1,3-dihydroxybutyl]phenyl]-3-(3-fluorophenyl)-
 MF C26 H23 F N2 O4

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):1

L22 8 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 1,3-Propanedione, 1-[2-butyl-3-[(1R)-1,2-dihydroxyethyl]phenyl]-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-(3-fluorophenyl)-
 MF C28 H27 F N2 O4


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):1



L22 8 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 1,3-Propanedione, 1-[3-(2-azido-1-hydroxyethyl)phenyl]-3-(3,5-difluorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-
 MF C24 H17 F2 N5 O3



HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):1

L22 8 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 1,3-Propanedione, 1-(3-bromophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[3-[(1R)-1,2-dihydroxyethyl]-4-fluorophenyl]-
 MF C24 H18 Br F N2 O4


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):1

L22 8 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 1,3-Propanedione, 1-(3,5-difluorophenyl)-2-(1,3-dihydro-2H-benzimidazol-2-ylidene)-3-[3-(1,2-dihydroxybutyl)phenyl]-
 MF C26 H22 F2 N2 O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

ALL ANSWERS HAVE BEEN SCANNED

| | | | |
|----------------------|------------|------|---------|
| => file zcaplus | | | |
| COST IN U.S. DOLLARS | SINCE FILE | | TOTAL |
| FULL ESTIMATED COST | ENTRY | 2.40 | SESSION |
| | | | 266.35 |

FILE 'ZCAPLUS' ENTERED AT 15:06:37 ON 06 JUL 2009

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2009 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS is strictly prohibited.

FILE COVERS 1907 - 6 Jul 2009 VOL 151 ISS 2
FILE LAST UPDATED: 5 Jul 2009 (20090705/ED)
REVISED CLASS FIELDS (/NCL) LAST RELOADED: Apr 2009
USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: Apr 2009

ZCAplus now includes complete International Patent Classification (IPC) reclassification data for the second quarter of 2009.

CAS Information Use Policies apply and are available at:

<http://www.cas.org/legal/infopolicy.html>

This file contains CAS Registry Numbers for easy and accurate substance identification.

```
=> s 871221-89-5RN\  
L23          0 871221-89-5RN\  
              (871221-89-5RN)  
  
=> s 871221-89-5/rn  
      0 871221-89-5  
      0 871221-89-5D  
L24          0 871221-89-5/RN  
              (871221-89-5 (NOTL) 871221-89-5D )
```

| | | SINCE FILE | TOTAL |
|----------------------|--|------------|---------|
| | | ENTRY | SESSION |
| COST IN U.S. DOLLARS | | | |
| FULL ESTIMATED COST | | 8.77 | 275.12 |

FILE 'REGISTRY' ENTERED AT 15:08:45 ON 06 JUL 2009
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2009 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 5 JUL 2009 HIGHEST RN 1160791-26-3
DICTIONARY FILE UPDATES: 5 JUL 2009 HIGHEST RN 1160791-26-3

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2009.

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

```
=> e 871221-89-5/rn
E1          1     871221-87-3/RN
E2          1     871221-88-4/RN
E3          1 --> 871221-89-5/RN
E4          1     871221-90-8/RN
E5          1     871221-91-9/RN
E6          1     871221-92-0/RN
E7          1     871221-93-1/RN
E8          1     871221-94-2/RN
E9          1     871221-95-3/RN
E10         1     871221-96-4/RN
E11         1     871221-97-5/RN
E12         1     871221-98-6/RN

=>
=> s l19 and pd<20050602
      138587 PD<20050602
L25          0 L19 AND PD<20050602

=> d his

(FILE 'HOME' ENTERED AT 13:48:12 ON 06 JUL 2009)

FILE 'REGISTRY' ENTERED AT 13:55:15 ON 06 JUL 2009
L1          STRUCTURE uploaded
L2          0 S SAM L1
L3          STRUCTURE uploaded
L4          50 S L3
L5          STRUCTURE uploaded
L6          0 S L5
L7          STRUCTURE uploaded
L8          0 S L7
L9          STRUCTURE uploaded
L10         8 S L9
L11         STRUCTURE uploaded
L12         8 S L11
L13         STRUCTURE uploaded
L14         8 S L13
L15         STRUCTURE uploaded
L16         8 S L15
L17         160 S L15 SSS FULL

FILE 'ZCPLUS' ENTERED AT 14:44:22 ON 06 JUL 2009
L18         3 S L17

FILE 'REGISTRY' ENTERED AT 14:44:51 ON 06 JUL 2009
L19         4 S L17 NOT CAPLUS/LC
L20         ANALYZE L19 1-4 CHEM :      4 TERMS

FILE 'ZCPLUS' ENTERED AT 14:52:41 ON 06 JUL 2009

FILE 'REGISTRY' ENTERED AT 15:03:29 ON 06 JUL 2009
L21         STRUCTURE uploaded
L22         8 S L21
```

FILE 'ZCAPLUS' ENTERED AT 15:06:37 ON 06 JUL 2009
L23 0 S 871221-89-5RN\
L24 0 S 871221-89-5/RN

FILE 'REGISTRY' ENTERED AT 15:08:45 ON 06 JUL 2009
E 871221-89-5/RN
L25 0 S L19 AND PD<20050602

=> exit
ALL L# QUERIES AND ANSWER SETS ARE DELETED AT LOGOFF
LOGOFF? (Y)/N/HOLD:Y
COST IN U.S. DOLLARS SINCE FILE TOTAL
FULL ESTIMATED COST ENTRY SESSION
29.35 304.47

STN INTERNATIONAL LOGOFF AT 15:38:48 ON 06 JUL 2009